FLEETWOOD

- for COLOURFUL LIVES -

ProductTrade Vinyl MattRevision date06 July 2021Revision1

Safety Data Sheet (SDS)

according to Regulation (EC) No. 1907/2006

Section 1: Identification of the substance/mixture and of the company/undertaking		
1.1 Product identifier		
Product name	Trade Vinyl Matt	
Other means of identification	No information available.	
1.2 Relevant identified uses of the sub	stance or mixture and uses advised against	
Identified uses	Paint or paint related material.	
Uses advised against	No uses advised against are identified.	
1.3 Details of the supplier of the safety data sheet		
Supplier	FSW Coatings Ltd	
	Virginia	
	Co Cavan Ireland	
	Tel: 353 49854 7209	
Contact person	info@fsw.ie	
1.4 Emergency telephone number		
Emergency telephone	+ 353 49854 7209 (Between 0900 and 1700 hrs Monday-Friday)	

Section 2: Hazards identification

2.1 Classification of the substance or mixture

	Classification (EC 1272/2008) Physical and chemical hazards Human health Environment	Not classified Not classified Not classified
<u>2.2 I</u>	abel elements	
	Contains	Not applicable
	Label in accordance with (EC) no. 1272/2008	No pictogram required
	Signal word	No Signal Word
	Hazard statements	No hazard statements required
	Precautionary statements	No precautionary statements required
	EUH statements	EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl H-isothiazol-3-one (3:1). May produce an allergic reaction. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

None known.

Section 3: Composition/information on ingredients

3.1 Substance

Not applicable.

3.2 Mixtures

Name	Product identifier	Regulation (EC) No 1272/2008	%
titanium dioxide	CAS-No.: 13463-67-7 EC No.: 236-675-5		10-20%
Talc (Mg3H2(SiO3)4)	CAS-No.: 14807-96-6 EC No.: 238-877-9		1-5%
diiron trioxide	CAS-No.: 1309-37-1 EC No.: 215-168-2		0.1-0.9%
2-aminoethanol	CAS-No.: 141-43-5 EC No.: 205-483-3 REACH Reg No.: 01-2119486455-28-0030	Acute Tox 4 - H302, Acute Tox 4 - H312, Acute Tox 4 - H332, Skin Corr. 1B - H314, STOT SE 3 - H335, Aquatic Chronic 3 - H412	0.1-0.9%
2,2',2''-nitrilotriethanol	CAS-No.: 102-71-6 EC No.: 203-049-8 REACH Reg No.: 01-2119486482-31-XXXX		<0.1%
reaction mass of 5-chloro-2-met- yl-2H-isothiazol-3-one and 2-methy- -2H-isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC No.:	Acute Tox 3 - H301, Acute Tox 2 - H310, Skin Corr. 1B - H314, Skin. Sens 1 - H317, Acute Tox 3 - H331, Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	<0.1%

The full text for all hazard statements are displayed in section 16.

Composition comments

The data shown are in accordance with the latest EC Directives.

2-aminoethanol: Specific Concentration Limit - STOT SE3 / H335; >= 5. Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) - SCLs: Eye Damage 1: C > or = 0,6 %; Eye Irritation 2; H319: 0,06 % < or = C < 0,6 %; Skin Corrosion 1C: C > or = 0,6 %; Skin Irritation 2; H315: 0,06 % < or = C < 0,6 %; Skin Sensitisation 1A: C > or = 0,0015 %; M factors: M=100, M(Chronic)=100.

Section 4: First aid measures

4.1 Description of first aid measures

General information	Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if symptoms persist, always call a doctor.
Inhalation	Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical
	attention if any discomfort or breathing difficulties develop.
Ingestion	Rinse mouth out and then drink plenty of water. Seek medical attention.
Skin contact	Remove affected person from source of contamination. Wash exposed area with soap and
	water. Get medical attention if irritation develops or persists.
Eye contact	Remove contact lenses if present and easy to do so. Hold eye lids open. Rinse with a gentle
	stream water for at least 15 minutes. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the
	length of exposure.
Inhalation	Prolonged inhalation of fog or mist may be irritating to nose and throat.
Ingestion	Prolonged exposure to product may cause irritation to lining of the mouth.
Skin contact	Prolonged contact may cause redness, irritation and dry skin. May cause an allergic skin
	reaction.
Eye contact	May cause temporary eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to the physician T

Treat symptomatically.

Section 5: Firefighting measures

5.1 Extinguishing media

	Kevision Date: 00 July 2021 - Kevision: 1
Extinguishing media	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	High volume water jet.
5.2 Special hazards arising from the sub	ostance or mixture
Hazardous combustion products Unusual fire & explosion hazards Specific hazards	During fire, gases hazardous to health may be formed. No unusual fire or explosion hazards noted. None noted.
5.3 Advice for firefighters	
Special fire fighting procedures	Avoid breathing fire vapours. Keep up-wind to avoid fumes. Fight advanced or massive fires from safe distance or protected location. Ventilate closed spaces before entering them. Containers close to fire should be removed immediately or cooled with water if safe to do so.
Protective equipment for firefighters	s Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Section 6: Accidental release measures	
6.1 Personal precautions, protective equ	uipment and emergency procedures
For non-emergency personnel For emergency responders	Wear protective clothing as described in Section 8 of this safety data sheet. Follow safe handling advice and personal protective equipment recommendations for normal use of product.
6.2 Environmental precautions	
Environmental precautions	Avoid discharge in to drains and water courses.
6.3 Methods and material for containme	ent and cleaning up
Spill clean up methods	Stop leak if possible without risk. Wear necessary protective equipment. Absorb spillage with non-combustible, absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Wash thoroughly after dealing with a spillage.
6.4 Reference to other sections	
Reference to other sections	See section 1 for emergency contact. For personal protection, see section 8. For waste disposal, see section 13.
Section 7: Handling and storage	
7.1 Precautions for safe handling	
Handling	Read and follow manufacturer's recommendations. Observe occupational exposure limits and minimise the risk of inhalation of vapours and mist. Do not eat, drink or smoke when using the product. Avoid spilling, skin and eye contact. Ensure adequate ventilation. Use proper personal protection when handling (refer to Section 8).
7.2 Conditions for safe storage, includin	<u>ig any incompatibilities</u>
Storage precautions	Store in tightly closed original container in a cool, dry and well-ventilated place. Keep
Storage class	upright, locked up and out of reach of children. Unspecified storage.
7.3 Specific end use(s)	
Specific end use(s) Usage description	The identified uses for this product are detailed in Section 1. Use only according to directions. Replace and tighten cap after use.

Section 8: Exposure controls/Personal protection

8.1 Control parameters

Component	STD	TWA (8 Hrs)	STEL (1	15mins)	Notes
titanium dioxide	OEL		10 mg/m ³			
titanium dioxide	OEL		4 mg/m ³			
Talc (Mg3H2(SiO3)4)	OEL		10 mg/m ³			
Talc (Mg3H2(SiO3)4)	OEL		0.8 mg/m ³			
diiron trioxide	OEL		5 mg/m ³		10 mg/m ³	as Fe
diiron trioxide	OEL		10 mg/m ³			
diiron trioxide	OEL		4 mg/m ³			
2-aminoethanol	OEL	1 ppm	2.5 mg/m ³	3 ppm	7.6 mg/m ³	Sk, IOELV
2,2',2''-nitrilotriethanol	OEL		5 mg/m ³			

Ingredient comments

Ireland, Occupational Exposure Limits 2021.

8.2 Exposure Controls



Engineering measures	Observe occupational exposure limits and minimize the risk of inhalation of dust. Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.
Respiratory equipment	No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit. Use type ABEK (EN 14387) respirator cartridges.
Hand protection	Use suitable protective gloves if there is a risk of skin contact. Consult manufacturer for specific advice. Suggested material: Nitrile rubber gloves. Layer thickness: 0.11mm. Breakthrough time: >480 min.
Eye protection	Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).
Other protection	Protective clothing should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. The selected clothing must satisfy the European norm standard EN 943.
Hygiene measures	Wash hands and / or face before breaks and at the end of the shift. Do not eat, drink, or smoke while using this product. Avoid contact with skin, eyes and clothing.
Process conditions	Use only according to directions. Ensure that eye flushing systems and safety showers are located close by in the work place.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Colour Odour	Viscous liquid. White & Magnolia Faint odour.
Odour threshold - lower	No information available as testing has not been completed.
Odour threshold - upper	No information available as testing has not been completed.
pH-Value, Conc. Solution	7.5 - 9.0
pH-Value, Diluted solution	No information available as testing has not been completed.
Melting point	May start to solidify at the temperatures below 2°C.This is based on data for the following ingredient: water
Initial boiling point and boiling	38 °C

	range	
	Flash point	Not applicable.
	Evaporation rate	Not applicable.
	Flammability state	Non flammable
	Flammability limit - lower(%)	No information available as testing has not been completed.
	Flammability limit - upper(%)	0%
	Vapour pressure	Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C)
	Vapour density (air=1)	Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2, 4-trimethylpentan1,3-diol).
	Relative density	1.47 +/- 0.02
	Bulk density	No information available as testing has not been completed.
	Solubility	Partially soluble in cold water.
	Decomposition temperature	Stable under normal handling and storage conditions
	Partition coefficient; n- Octanol/Water	No information available as testing has not been completed.
	Auto ignition temperature (°C)	Not applicable.
	Viscosity	Kinematic (40°C): >0.21 cm ² /s
	Explosive properties	Not classified as explosive.
	Oxidising properties	The product does not meet the criteria to be classified as oxidising.
<u>9.2 (</u>	Other information	
	Molecular weight	No information available as testing has not been completed.
	Volatile organic compound	7.00 g/litre
	Other information	Volume solids: 34.0% +/- 1.0%
		Weight Solids: 55.0% +/- 1.0%

Section 10: Stability and reactivity	
10.1 Reactivity	
Reactivity	No specific reactivity hazards associated with this product.
10.2 Chemical stability	
Stability	Stable under normal temperature conditions and recommended use.
10.3 Possibility of hazardous reactions	
Hazardous reactions Hazardous polymerisation Polymerisation description	For information on hazardous reactions see section 10.1. Unknown. Unknown.
10.4 Conditions to Avoid	
Conditions to avoid	Avoid heat, flames and other sources of ignition. Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid Do not mix with other chemicals unless listed on directions. Strong oxidising substances.

10.6 Hazardous decomposition products

Hazardous decomposition products When heated, vapours/gases hazardous to health may be formed.

Section 11: Toxicological information

11.1 Information on hazard classses as defined in Regulation (EC) No. 1272/2008		
Toxicological information	No toxicological information for the overall finished product.	
Acute toxicity (Oral LD50) Acute toxicity (Dermal LD50) Acute toxicity (Inhalation LD50)	No information available as testing has not been completed. No information available as testing has not been completed. No information available as testing has not been completed.	
Serious eye damage/irritation	Product is not classified as an eye irritant.	
Skin corrosion/irritation	The product is not classified as a skin corrosion/irritation hazard.	
Respiratory sensitisation Skin sensitisation	The product is not classified as a respiratory hazard. The product is not classified as a skin sensitisation hazard.	
Germ cell mutagenicity	The product is not classified as a mutagen.	
Carcinogenicity	The product is not classified as a carcinogen hazard.	
Specific target organ toxicity - Sing STOT - Single exposure Specific target organ toxicity - Repe STOT - Repeated exposure	The product is not classified as a single exposure specific target organ toxin.	
Inhalation Ingestion Skin contact Eye contact Waste management	Prolonged inhalation of fog or mist may be irritating to nose and throat. Prolonged exposure to product may cause irritation to lining of the mouth. Prolonged contact may cause redness, irritation and dry skin. May cause an allergic skin reaction. May cause temporary eye irritation. When handling waste, consideration should be made to the safety precautions applying to handling of the product.	
Routes of entry Target organs	Eyes, skin, ingestion or inhalation. No target organs specified.	
Aspiration hazards: Reproductive toxicity:	The product is not classified as an aspiration hazard. The product is not classified as a reproductive hazard.	

Name	LD50 oral	LD50 dermal	LD50 inhalation
2-aminoethanol	1515.00mg/kg Rat	2504.00mg/kg Rabbit	
2,2',2''-nitrilotriethanol	6400.00mg/kg Rat	>2000.00mg/kg Rabbit	

11.2 Information on other hazards

Information on other hazards None known.

Section 12: Ecological information

12.1 Toxicity

Acute toxicity - Fish	No information available as testing has not been completed.
Acute toxicity - Aquatic invertebrates	s No information available as testing has not been completed.
Acute toxicity - Aquatic plants	No information available as testing has not been completed.
Acute toxicity - Microorganisms	No information available as testing has not been completed.
Chronic toxicity - Fish	No information available as testing has not been completed.
Chronic toxicity - Aquatic	No information available as testing has not been completed.

	invertebrates Chronic toxicity - Aquatic plants Chronic toxicity - Microorganisms Ecotoxicity Eco toxilogical information	No information available as testing has not been completed. No information available as testing has not been completed. The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008.
12.2	Persistence and degradability	
	Degradability Biological oxygen demand Chemical oxygen demand	The degradability of the product has not been stated. No information available as testing has not been completed. No information available as testing has not been completed.
12.3	Bioaccumulative potential	
	Bioaccumulative potential Bioaccumulation factor Partition coefficient; n- Octanol/Water	No data available on bioaccumulation. No information available as testing has not been completed. No information available as testing has not been completed.
12.4	<u>Mobility in soil</u> Mobility	Partially soluble in cold water.
12.5 Results of PBT and vPvB assessment		

 $\label{eq:results} \textbf{Results of PBT and vPvB assessment} \ \ \textbf{The product does not contain any PBT or vPvB Substances}.$

<u>12.6 Endocrine disrupting properties</u>

Endocrine disrupting properties The product does not contain any substances with endocrine disrupting properties at a concentration above or equal to 0.1%.

12.7 Other adverse effects

Other adverse effects

None known.

Name	Acute toxicity (Fish)	Acute toxicity (Aquatic invertebrates)	Acute toxicity (Aquatic plants)
titanium dioxide		EC50 48 Hours >1000.00mg/l Daphnia magna	
reaction mass of 5-chloro-2-methyl-2H-isoth- azol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	LC50 96 Hours 0.22mg/l Onchorhynchus mykiss (Rainbow Trout)	EC50 48 Hours 0.10mg/l Daphnia magna	
2-aminoethanol	LC50 96 Hours 114.00mg/l Onchorhynchus mykiss (Rainbow Trout)	EC50 48 Hours 65.00mg/l Daphnia magna	EC50 72 Hours 2.50mg/l Selenastrum Capricornutum
2,2',2''-nitrilotriethanol	LC50 96 Hours 11800.00mg/l Pimephales promelas (Fat-head Minnow)	NOEC 21 days 16.00mg/l Daphnia magna	EC50 72 Hours 216.00mg/l Scenedesmus Subspicatus

Section 13: Disposal considerations

Waste management

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

13.1 Waste treatment methods

Disposal methods

Dispose of waste and residues in accordance with local authority requirements, and in accordance with all local, national and international regulations. For waste disposal, use a licensed industrial waste disposal agent.

Section 14: Transport information

14.1 UN number or ID number	
UN no. (ADR) UN no. (IMDG) UN no. (IATA)	Not applicable. Not applicable. Not applicable.
14.2 UN proper shipping name	
ADR proper shipping name IMDG proper shipping name IATA proper shipping name	Not applicable. Not applicable. Not applicable.
14.3 Transport hazard class(es)	
ADR class IMDG class IATA class	Not applicable. Not applicable. Not applicable.
Transport labels	Not applicable
14.4 Packing group	
ADR/RID/ADN packing group IMDG packing group IATA packing group	Not applicable. Not applicable. Not applicable.
14.5 Environmental hazards	
ADR IMDG IATA	No No No
14.6 Special precautions for user	
EMS Emergency action code Hazard no. (ADR) Tunnel restriction code	Not applicable. Not applicable. Not applicable. Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
Approved code of practice	2021 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2021) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001-2019)
15.2 Chemical safety assessment Chemical safety assessment	No chemical safety assessment has been carried out.
Section 16: Other information	
General information Revision comments Revision date Revision	This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010. This is a first issue. 06 July 2021 1

Safety data sheet status

Approved.

Hazard statements in full

H411	Toxic to aquatic life with long lasting effects.
H319	Causes serious eye irritation.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.
H317	May cause an allergic skin reaction.
H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH208	Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothia-
	ol-3-one (3:1). May produce an allergic reaction.
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.