ProductVogue UndercoatRevision date22 December 2021Revision1

- for COLOURFUL LIVES -

Safety Data Sheet (SDS)

according to Regulation (EC) No. 1907/2006

Section 1: Identification of the substance/mixture and of the company/undertaking				
1.1 Product identifier				
Product name	Vogue Undercoat			
Other means of identification	No information available.			
1.2 Relevant identified uses of the sub	1.2 Relevant identified uses of the substance or mixture and uses advised against			
Identified uses	Paint or paint related material.			
Uses advised against	Any other purpose.			
1.3 Details of the supplier of the safety data sheet				
Supplier	FSW Coatings Ltd.			
	Virginia			
	Co Cavan			
	Ireland			
Contact norson	Tel: 353 49854 7209			
Contact person	info@fsw.ie			
1.4 Emergency telephone number				
Emergency telephone	+ 353 49854 7209 (Between 0900 and 1700 hrs Monday-Friday)			

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (EC 1272/2008) Physical and chemical hazards Human health Environment	Not classified Not classified Not classified
2.2 Label elements	
Contains	Not applicable
Label in accordance with (EC) no. 1272/2008	No pictogram required
Signal word	No Signal Word
Hazard statements	No hazard statements required
Precautionary statements	No precautionary statements required
EUH statements	EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

None known.

Section 3: Composition/information on ingredients

3.1 Substance

Not applicable.

3.2 Mixtures

Name	Product identifier	Regulation (EC) No 1272/2008	%
titanium dioxide	CAS-No.: 13463-67-7 EC No.: 236-675-5 REACH Reg No.: 01-2119489379-17-XXXX		20-30%
Talc (Mg3H2(SiO3)4)	CAS-No.: 14807-96-6 EC No.: 238-877-9		1-5%
diiron trioxide	CAS-No.: 1309-37-1 EC No.: 215-168-2		0.1-0.9%
4-tert-butylbenzoic acid	CAS-No.: 98-73-7 EC No.: 202-696-3 REACH Reg No.: 01-2119622072-54-XXXX	Aquatic Chronic 2 - H411, Acute Tox 4 - H302, Repr. 1B- H360, STOT RE 1 - H372	<0.1%

The full text for all hazard statements are displayed in section 16.

The data shown are in accordance with the latest EC Directives. This mixture is not classified as a carcinogen due to the liquid state of the product. H351 as related to Titanium Dioxide is only applicable in powdered form.

Section 4: First aid measures

Composition comments

4.1 Description of first aid measures

General information	Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if symptoms persist, always call a doctor.
Inhalation	Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort or breathing difficulties develop.
Ingestion	Rinse mouth out and then drink plenty of water. Seek medical attention.
Skin contact	Remove affected person from source of contamination. Wash exposed area with soap and water. Get medical attention if irritation develops or persists.
Eye contact	Remove contact lenses if present and easy to do so. Hold eye lids open. Rinse with a gentle stream water for at least 15 minutes. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Inhalation of high concentrations of vapours may cause irritation of the respiratory tract or dizziness.
Ingestion	Prolonged exposure to liquid product may cause irritation to linings of mouth,
Skin contact	Prolonged contact may cause redness, irritation and dry skin.
Eye contact	May cause temporary eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Section 5: Firefighting measures

5.1 Extinguishing media

Extinguishing media	This product is not flammable. Use fire-extinguishing media appropriate for surrounding
	materials. Water spray, foam, dry powder or carbon dioxide.
Unsuitable extinguishing media	High volume water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products	During fire, gases hazardous to health may be formed.
Unusual fire & explosion hazards	No unusual fire or explosion hazards noted.
Specific hazards	Floors may become slippery, avoid falls.

	Revision Date: 22 December 2021 - Revision: 1		
5.3 Advice for firefighters			
Special fire fighting procedures	Avoid breathing fire vapours. Keep up-wind to avoid fumes. Fight advanced or massive fires from safe distance or protected location. Ventilate closed spaces before entering them. Containers close to fire should be removed immediately or cooled with water if safe to do so.		
Protective equipment for firefighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.		
Section 6: Accidental release measures			
6.1 Personal precautions, protective equ	ipment and emergency procedures		
For non-emergency personnel	Wear protective clothing as described in Section 8 of this safety data sheet. Ensure adequate ventilation. Do not smoke, use open fire or other sources of ignition.		
For emergency responders	Follow safe handling advice and personal protective equipment recommendations for normal use of product.		
6.2 Environmental precautions			
Environmental precautions	Avoid discharge in to drains and water courses.		
6.3 Methods and material for containme	nt and cleaning up		
Spill clean up methods	Stop leak if possible without risk. Wear necessary protective equipment. Absorb spillage with non-combustible, absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Wash thoroughly after dealing with a spillage.		
6.4 Reference to other sections			
Reference to other sections	See section 1 for emergency contact. For personal protection, see section 8. For waste disposal, see section 13.		
Section 7: Handling and storage			
7.1 Precautions for safe handling			
Handling	Read and follow manufacturer's recommendations. Observe occupational exposure limits and minimise the risk of inhalation of vapours and mist. Do not eat, drink or smoke when using the product. Avoid spilling, skin and eye contact. Ensure adequate ventilation. Use proper personal protection when handling (refer to Section 8).		
7.2 Conditions for safe storage, including	g any incompatibilities		
Storage precautions	Store in tightly closed original container in a cool, dry and well-ventilated place. Keep upright, locked up and out of reach of children.		
Storage class	Unspecified storage.		
7.3 Specific end use(s)			
Specific end use(s) Usage description	The identified uses for this product are detailed in Section 1. Use only according to directions. Replace and tighten cap after use.		

Section 8: Exposure controls/Personal protection

8.1 Control parameters

Component	STD	TWA (8 I	Hrs)	STEL (1	5mins)	Notes
Talc (Mg3H2(SiO3)4)	OEL		10 mg/m ³			
Talc (Mg3H2(SiO3)4)	OEL		0.8 mg/m ³			
titanium dioxide	OEL		10 mg/m ³			
titanium dioxide	OEL		4 mg/m ³			

diiron trioxide	OEL	5 mg/m ³	10 mg/m ³	
diiron trioxide	OEL	10 mg/m ³		
diiron trioxide	OEL	4 mg/m ³		
4-tert-butylbenzoic acid	OEL	0.1 mg/m ³		Sk

Ingredient comments

Ireland, Occupational Exposure Limits 2020.

8.2 Exposure Controls

Protective equipment	
Engineering measures Respiratory equipment	Observe occupational exposure limits and minimize the risk of inhalation of dust. No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit. Use type ABEK (EN 14387)
Hand protection	respirator cartridges. Use suitable protective gloves if there is a risk of skin contact. Full contact: Material: Nitrile rubber; Minimum layer thickness: 0.11mm ; Breakthrough time: 480 min. Consult manufacturer for specific advice.
Eye protection	Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).
Other protection	Wear appropriate clothing to prevent any possibility of skin contact. Protective clothing should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. The selected clothing must satisfy the European norm standard EN 943.
Hygiene measures	Wash hands and / or face before breaks and at the end of the shift. Do not eat, drink, or smoke while using this product. Avoid contact with skin, eyes and clothing.
Process conditions	Use only according to directions. Ensure that eye flushing systems and safety showers are located close by in the work place.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Colour Odour	Viscous liquid. White and various colours. Slight.	
Odour threshold - lower	No information available as testing has not been completed.	
Odour threshold - upper	No information available as testing has not been completed.	
pH-Value, Conc. Solution	>8.1	
pH-Value, Diluted solution	No information available as testing has not been completed.	
Melting point	May start to solidify at the temperatures below 2°C.This is based on data for the following ingredient: water	
Initial boiling point and boiling range	>42°C	
5. 5	>42°C Not applicable.	
range		
range Flash point	Not applicable.	
range Flash point Evaporation rate	Not applicable. Not applicable.	
range Flash point Evaporation rate Flammability state	Not applicable. Not applicable. Non flammable	

		(23.4 mm Hg) (at 20°C)			
Vapour density (air=1)		Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2, 4-trimethylpentan-1,3-diol).			
Relative density		1.34			
Bulk density No information available as testing has not been completed.		No information available as testing has not been completed.			
Solubility Partially soluble in cold water.		Partially soluble in cold water.			
Decomposition temperature Stable under normal handling and storage conditions		Stable under normal handling and storage conditions			
	Partition coefficient; n- Octanol/Water	No information available as testing has not been completed.			
	Auto ignition temperature (°C) Not applicable.				
	Viscosity	Kinematic (40°C): >0.21 cm ² /s			
	Explosive properties	Not classified as explosive.			
	Oxidising properties	The product does not meet the criteria to be classified as oxidising.			
<u>9.2</u>	9.2 Other information				
	Molecular weight	No information available as testing has not been completed.			
	Volatile organic compound	11.00 g/litre			
	Other information	Volume solids: 34.0% +/- 1.0%			
		Weight Solids: 51.0% +/- 1.0%			

Section 10: Stability and reactivity		
10.1 Reactivity		
Reactivity	No specific reactivity hazards associated with this product.	
10.2 Chemical stability		
Stability	Stable under normal temperature conditions and recommended use.	
10.3 Possibility of hazardous reactions		
Hazardous reactions Hazardous polymerisation Polymerisation description	For information on hazardous reactions see section 10.1. Unknown. Unknown.	
10.4 Conditions to Avoid		
Conditions to avoid	Avoid heat, flames and other sources of ignition. Extremes of temperature and direct sunlight.	
10.5 Incompatible materials		
Materials to avoid	Do not mix with other chemicals unless listed on directions. Strong oxidising substances.	
10.6 Hazardous decomposition products		
Hazardous decomposition products	When heated, vapours/gases hazardous to health may be formed.	

Section 11: Toxicological information

<u>11.1 Information on hazard classses as defined in Regulation (EC) No. 1272/2008</u></u>

Toxicological information	No toxicological information for the overall finished product.	
Acute toxicity (Oral LD50) Acute toxicity (Dermal LD50) Acute toxicity (Inhalation LD50)	No information available as testing has not been completed. No information available as testing has not been completed. No information available as testing has not been completed.	
Serious eye damage/irritation	May cause temporary eye irritation.	
Skin corrosion/irritation	The product is not classified as a skin corrosion/irritation hazard.	
Respiratory sensitisation Skin sensitisation	The product is not classified as a respiratory hazard. The product is not classified as a skin sensitisation hazard.	
Germ cell mutagenicity	The product is not classified as a mutagen.	
Carcinogenicity	The product is not classified as a carcinogen hazard.	
Specific target organ toxicity - Single	-	
STOT - Single exposure The product is not classified as a single exposure specific target organ toxin.		
Specific target organ toxicity - Repeated exposure:		
STOT - Repeated exposure	The product is not classified as a repeat exposure specific target organ toxin.	
Inhalation	Inhalation of high concentrations of vapours may cause irritation of the respiratory tract or dizziness.	
Ingestion	Prolonged exposure to liquid product may cause irritation to linings of mouth,	
Skin contact	Prolonged contact may cause redness, irritation and dry skin.	
Eye contact	May cause temporary eye irritation.	
Waste management	When handling waste, consideration should be made to the safety precautions applying to handling of the product.	
Routes of entry	Eyes, skin, ingestion or inhalation.	
Target organs	Eyes, skin, digestive system, respiratory system.	
Aspiration hazards:	The product is not classified as an aspiration hazard.	
Reproductive toxicity:	The product is not classified as a reproductive hazard.	

Name	LD50 oral	LD50 dermal	LD50 inhalation
4-tert-butylbenzoic acid	550.00mg/kg Rat		

11.2 Information on other hazards

Information on other hazards None known.

Section 12: Ecological information

12.1 Toxicity

Acute toxicity - Fish Acute toxicity - Aquatic invertebrate Acute toxicity - Aquatic plants Acute toxicity - Microorganisms Chronic toxicity - Fish Chronic toxicity - Aquatic invertebrates	No information available as testing has not been completed. s No information available as testing has not been completed. No information available as testing has not been completed.		
Chronic toxicity - Aquatic plants Chronic toxicity - Microorganisms Ecotoxicity Eco toxilogical information	No information available as testing has not been completed. No information available as testing has not been completed. The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008.		
12.2 Persistence and degradability			
Degradability Biological oxygen demand Chemical oxygen demand	The degradability of the product has not been stated. No information available as testing has not been completed. No information available as testing has not been completed.		

12.3 Bioaccumulative potential			
Bioaccumulative potential Bioaccumulation factor Partition coefficient; n- Octanol/Water	No data available on bioaccumulation. No information available as testing has not been completed. No information available as testing has not been completed.		
12.4 Mobility in soil			
Mobility	Partially soluble in cold water.		

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment The product does not contain any PBT or vPvB Substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties The product does not contain any substances with endocrine disrupting properties at a concentration above or equal to 0.1%.

12.7 Other adverse effects

Other adverse effects

None known.

Name	Acuto toxicity (Fich)	Acute toxicity (Aquatic invertebrates)	Acute toxicity (Aquatic plants)
4-tert-butylbenzoic acid		5. 1	EC50 72 Hours 94.00mg/l Selenastrum Capricornutum

Section 13: Disposal considerations	
Waste management	When handling waste, consideration should be made to the safety precautions applying to handling of the product.
13.1 Waste treatment methods	
Disposal methods	Dispose of waste and residues in accordance with local authority requirements, and in accordance with all local, national and international regulations. For waste disposal, use a licensed industrial waste disposal agent.
Section 14: Transport information	
14.1 UN number or ID number	
UN no. (ADR) UN no. (IMDG) UN no. (IATA)	Not applicable. Not applicable. Not applicable.
14.2 UN proper shipping name	
ADR proper shipping name IMDG proper shipping name IATA proper shipping name	Not applicable. Not applicable. Not applicable.
<u>14.3 Transport hazard class(es)</u>	
ADR class IMDG class IATA class	Not applicable. Not applicable. Not applicable.
Transport labels	Not applicable
<u>14.4 Packing group</u>	
ADR/RID/ADN packing group IMDG packing group IATA packing group	Not applicable. Not applicable. Not applicable.

14.5 Environmental hazards

No No No
INU

14.6 Special precautions for user

EMS	Not applicable.
Emergency action code	Not applicable.
Hazard no. (ADR)	Not applicable.
Tunnel restriction code	Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
	December 2008 on classification, labelling and packaging of substances and mixtures,
	amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation
	(EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety
	Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 2020/878 of 18
	June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the
	Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals
	(REACH).
Approved code of practice	2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents)
	Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens)
	Regulations (2001-2019)
15.2 Chemical safety assessment	

Chemical safety assessment	No chemical safety assessment has been carried out.
----------------------------	---

Section 16: Other information

General information	This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010.
Revision comments	This is a first issue.
Revision date	22 December 2021
Revision	1
Safety data sheet status	Approved.

Hazard statements in full

11048	
H317	May cause an allergic skin reaction.
H301	Toxic if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure .
H412	Harmful to aquatic life with long lasting effects.
H302	Harmful if swallowed.
H360	May damage fertility or the unborn child .
H372	Causes damage to organs through prolonged or repeated exposure .
H411	Toxic to aquatic life with long lasting effects.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray
	or mist.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.