

## SAFETY DATA SHEET

### Fleetwood Instant Filler

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

##### 1.1. Product identifier

**Product name** Fleetwood Instant Filler  
**REACH Registration number** MIXTURE  
**REACH Registration notes** Registration number is not applicable as this is a mixture.

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** FOR USE AS A GENERAL PURPOSE FILLER SU 3 - INDUSTRIAL USES SU 21 - CONSUMER USES SU 22 - PROFESSIONAL USES PC9b - FILLERS, PUTTIES, PLASTERS, MODELLING CLAY.  
**Uses advised against** Not to be used for making casts of body parts, because during setting the product may heat up causing skin burns.

##### 1.3. Details of the supplier of the safety data sheet

**Supplier** FSW Coatings Ltd  
Virginia  
Co Cavan  
Ireland  
www.fleetwood.ie  
Tel: +353 49854 7209  
Fax: +353 49854 7470  
Email: info@fsw.ie  
**Contact Person** DCM Compliance info@dcmcompliance.com

##### 1.4. Emergency telephone number

+353 49854 7209

#### SECTION 2: HAZARDS IDENTIFICATION

##### 2.1. Classification of the substance or mixture

**Classification (EC 1272/2008)**  
Physical and Chemical Hazards Not classified.  
Human health Not classified.  
Environment Not classified.  
**Classification (1999/45/EEC)** Not classified.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

##### **Human health**

The hazardous properties of the product are considered limited. However, the product contains a small amount of sensitising substance which may provoke an allergic reaction among sensitive individuals.

##### **Physical and Chemical Hazards**

Considering the limited amount applied during use and the size of the container, the risk of adverse effects is considered small.

##### 2.2. Label elements

**Label In Accordance With (EC) No. 1272/2008**

No pictogram required.

##### 2.3. Other hazards

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

##### 3.2. Mixtures

## Fleetwood Instant Filler

<b>1,2-BENZISOTHIAZOL-3(2H)-ONE</b>		<b>&lt; 1%</b>
CAS-No.: 2634-33-5                      EC No.: 220-120-9		
Classification (EC 1272/2008)	Classification (67/548/EEC)	
Acute Tox. 4 - H302	Xn;R22	
Skin Irrit. 2 - H315	R43	
Eye Dam. 1 - H318	Xi;R38,R41	
Skin Sens. 1 - H317	N;R50	
Aquatic Acute 1 - H400		

  

<b>2-METHYLISOTHIAZOL-3(2H)-ONE</b>		<b>&lt; 1%</b>
CAS-No.: 2682-20-4                      EC No.: 220-239-6		
Classification (EC 1272/2008)	Classification (67/548/EEC)	
Acute Tox. 4 - H302	T;R23/24.	
Acute Tox. 3 - H311	Xn;R22.	
Acute Tox. 2 - H330	C;R34.	
Skin Corr. 1B - H314	Xi;R37.	
Skin Sens. 1 - H317	N;R50.	
STOT SE 3 - H335	R43.	
Aquatic Acute 1 - H400		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### REACH Registration number

MIXTURE

### REACH Registration notes

Registration number is not applicable as this is a mixture.

### Composition Comments

This product is not classified as dangerous according to EC and uk legislation A specially formulated filler containing natural minerals, calcium magnesium carbonate, rheology modifiers and organic polymers.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

#### General information

When breathing is difficult, properly trained personnel may assist affected person by administering 100% oxygen.

#### Ingestion

Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions.

#### Skin contact

Remove contaminated clothing immediately and wash skin with soap and water.

#### Eye contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Inhalation

No specific symptoms noted.

#### Ingestion

Due to the physical nature of this material it is unlikely that swallowing will occur.

#### Skin contact

Prolonged contact may cause redness, irritation and dry skin.

#### Eye contact

May cause temporary eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat Symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

# Fleetwood Instant Filler

## **5.1. Extinguishing media**

### **Extinguishing media**

Use fire-extinguishing media appropriate for surrounding materials. The product is non-combustible.

### **Unsuitable extinguishing media**

None

## **5.2. Special hazards arising from the substance or mixture**

### **Hazardous combustion products**

No hazardous decomposition products.

### **Unusual Fire & Explosion Hazards**

No unusual fire or explosion hazards noted.

### **Specific hazards**

The product is non-combustible. If heated, irritating vapours may be formed.

## **5.3. Advice for firefighters**

### **Special Fire Fighting Procedures**

Keep run-off water out of sewers and water sources. Dike for water control. Dike and collect extinguishing water. If risk of water pollution occurs, notify appropriate authorities.

### **Protective equipment for fire-fighters**

Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace. Use protective equipment appropriate for surrounding materials. Wear self-contained breathing apparatus and protective suit. In case of a large fire or in confined or poorly ventilated spaces, wear full fire retardant protective clothing and self contained breathing apparatus with a full face-piece operated in positive pressure mode.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## **6.1. Personal precautions, protective equipment and emergency procedures**

Wear protective clothing as described in Section 8 of this safety data sheet. Wear protective gloves and, in case of splashes, goggles/face shield too.

## **6.2. Environmental precautions**

Collect and dispose of spillage as indicated in section 13.

## **6.3. Methods and material for containment and cleaning up**

Wash contaminated area with water. Scrape up uncured product and place into a container for disposal. Alternatively allow to set hard and scrape up.

## **6.4. Reference to other sections**

Wear protective clothing as described in Section 8 of this safety data sheet. See section 11 for additional information on health hazards. Collect and dispose of spillage as indicated in section 13.

## **SECTION 7: HANDLING AND STORAGE**

## **7.1. Precautions for safe handling**

Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Avoid contact with eyes. Avoid inhalation of dust if sanding is required. The use of a disposable dust mask is recommended.

## **7.2. Conditions for safe storage, including any incompatibilities**

Protect from freezing and direct sunlight. Store in closed original container at temperatures between 15°C and 25°C.

### **Storage Class**

Unspecified storage.

## **7.3. Specific end use(s)**

The identified uses for this product are detailed in Section 1.2.

### **Usage Description**

Keep out of reach of children. Apply "common sense" measures when using this product. When sanding cured product avoid prolonged inhalation of dust, if it is expected that sanding will be required for long period the use of a dust mask is recommended. See section 8. Where possible avoid prolonged contact with the skin.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **8.1. Control parameters**

## Fleetwood Instant Filler

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
1,2-BENZISOTHIAZOL-3(2H)-ONE	WEL	No std.	No std.	No std.	No std.	
2-METHYLISOTHIAZOL-3(2H)-ONE	WEL	No std.	No std.	No std.	No std.	

WEL = Workplace Exposure Limit.

### 2-METHYLISOTHIAZOL-3(2H)-ONE (CAS: 2682-20-4)

No DNEL data available for this substance.

No PNEC data available for this substance.

## 8.2. Exposure controls

### Process conditions

This product is supplied in ready to use tubs and poses very little risk to man or the environment.

### Engineering measures

Provide sufficient ventilation for operations causing dust formation.

### Respiratory equipment

Whilst using the uncured product there no specific recommendation for the use of respiratory protection, however when sanding the cured product it is recommended that a P1 dust mask is worn.

### Eye protection

If risk of splashing, wear safety goggles or face shield.

### Skin protection

Wash hands after use and wash off any filler that comes into contact with skin before it sets.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

**Colour** White / off-white.

**Odour** PVA Type

#### Melting point (°C)

Not applicable.

**Relative density** 1.5 - 1.7

#### Vapour density (air=1)

Not applicable.

#### Vapour pressure

Not applicable.

#### Evaporation rate

Not applicable.

Water based

**pH-Value, Conc. Solution** 7.6 - 8.6

**Viscosity** 2700 - 3000 (Helipath TF/10)

**Decomposition temperature (°C)** 100

#### Odour Threshold, Lower

Not applicable.

#### Flash point (°C)

Not applicable.

Water based

#### Auto Ignition Temperature (°C)

Not applicable.

Water based

#### Flammability Limit - Lower(%)

Not applicable.

#### Flammability Limit - Upper(%)

Not applicable.

#### Explosive properties

Not Explosive

#### Solid/Liquid Ignition On Contact With Air.

No

**Aerosol ignition distance** NOT APPLICABLE

**Comments** Information declared as "Not available, Not relevant or Not applicable" is not considered justified for enabling proper control measures to be taken.

## 9.2. Other information

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

There are no known reactivity hazards associated with this product.

#### 10.2. Chemical stability

No particular stability concerns. Stable under normal temperature conditions and recommended use.

#### 10.3. Possibility of hazardous reactions

None under normal processing.

##### Hazardous Polymerisation

Will not polymerise.

#### 10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time. Avoid exposure to high temperatures or direct sunlight.

#### 10.5. Incompatible materials

##### Materials To Avoid

Strong acids.

#### 10.6. Hazardous decomposition products

No hazardous decomposition products.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

##### Toxicological information

The severity of acute effects is such that significant repeated or prolonged exposure is unlikely. There is no data for the product as a whole. The data for the hazardous constituents is shown below. The product has been assessed following the conventional method and is classified for toxicological hazards accordingly.

##### Acute toxicity:

##### Acute Toxicity (Oral LD50)

> 2000 mg/kg

Estimated Value

Conclusive data but not sufficient for classification.

##### Acute Toxicity (Dermal LD50)

Data lacking.

Low toxicity by dermal route.

##### Acute Toxicity (Inhalation LC50)

Data lacking.

Low toxicity by the inhalation route.

##### Skin Corrosion/Irritation:

##### Human Skin Model Test

Data lacking.

Not irritating. Non Corrosive to skin.

##### Respiratory or skin sensitisation:

##### Skin sensitisation

Not applicable.

Not Sensitising.

##### Carcinogenicity:

##### Carcinogenicity

Not applicable.

No known effect based on information supplied.

This product is not classified carcinogenic.

# Fleetwood Instant Filler

## Aspiration hazard:

### Viscosity

Not applicable.

Not relevant, due to the form of the product.

## Toxicological information on ingredients.

1,2-BENZISOTHIAZOL-3(2H)-ONE (CAS: 2634-33-5)

2-METHYLISOTHIAZOL-3(2H)-ONE (CAS: 2682-20-4)

## SECTION 12: ECOLOGICAL INFORMATION

### Ecotoxicity

The product is not expected to be hazardous to the environment.

### 12.1. Toxicity

There is no data available for the product itself. The product should not be allowed to enter drains or watercourses or be deposited where it can effect ground or surface waters. The product is not classified as dangerous for the environment but contains small amount of substances so classified. There is no data for the product as a whole. The toxicological data for the hazardous ingredients is shown below:

#### **Acute Toxicity - Fish**

Not toxic at limit of water solubility. 6.0

## Ecological information on ingredients.

1,2-BENZISOTHIAZOL-3(2H)-ONE (CAS: 2634-33-5)

#### **Acute Toxicity - Fish**

LC50 96 hours ~ 2.2 mg/l Onchorhynchus mykiss (Rainbow trout)

**EC 50, 48 Hrs, Daphnia, mg/l**

3

#### **Acute Toxicity - Aquatic Invertebrates**

72 hours

#### **Acute Toxicity - Aquatic Plants**

EC50 72 hours ~ 0.067 mg/l

2-METHYLISOTHIAZOL-3(2H)-ONE (CAS: 2682-20-4)

#### **Acute Toxicity - Fish**

NOEC 96 hours ~ 3.06 mg/l Onchorhynchus mykiss (Rainbow trout)

LC50 96 hours ~ 6.0 mg/l Onchorhynchus mykiss (Rainbow trout)

**EC 50, 48 Hrs, Daphnia, mg/l**

1.68

#### **Acute Toxicity - Aquatic Invertebrates**

NOEC 48 hours ~ 0.882 Daphnia magna

EC50 48 hours ~ 1.68 mg/l Daphnia magna

#### **Acute Toxicity - Aquatic Plants**

EC50 72 hours ~ 0.157 mg/l Selenastrum capricornutum

### 12.2. Persistence and degradability

## Ecological information on ingredients.

1,2-BENZISOTHIAZOL-3(2H)-ONE (CAS: 2634-33-5)

#### **Chemical Oxygen Demand**

~ 92 g O2/g substance

### 12.3. Bioaccumulative potential

### 12.4. Mobility in soil

#### **Mobility:**

The product contains substances, which are water soluble and may spread in water systems.

### 12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

### 12.6. Other adverse effects

## SECTION 13: DISPOSAL CONSIDERATIONS

### General information

The packaging should be collected for reuse. Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

### 13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. For unused and uncontaminated product, the preferred options include sending to a licensed waste contractor. Used containers can be cleaned with water and either reused or disposed of as non hazardous waste.

### Waste Class

When this product, in its liquid state, as supplied, becomes waste, it is categorised as NON hazardous, with code 08 04 10. Part used containers, not drained and/or rigorously scraped out and containing dried residues of the supplied coating are categorised as non-hazardous waste with code 08 04 10. Used containers, drained and/or rigorously scraped out and containing dried residues of the supplied coating are categorised as non-hazardous waste with code 15 01 02. "Rigorously scraped out" means removing the maximum amount of product from the container by physical or mechanical means to leave a residue or contamination that cannot be removed by such means. These codes have been assigned based on the actual composition of the product both as supplied and as dried residues. If mixed with other wastes, the waste codes quoted may not be applicable.

## SECTION 14: TRANSPORT INFORMATION

### General

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

### 14.2. UN proper shipping name

### 14.3. Transport hazard class(es)

### 14.4. Packing group

### 14.5. Environmental hazards

### 14.6. Special precautions for user

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Uk Regulatory References

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. Chemicals (Hazard Information & Packaging) Regulations.

#### Environmental Listing

Control of Pollution Act 1974. Rivers (Prevention of Pollution) Act 1961.

#### Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Control of Substances Hazardous to Health.

#### Approved Code Of Practice

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

#### Guidance Notes

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

#### EU Legislation

Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

# Fleetwood Instant Filler

## National Regulations

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002. No. 1689. Workplace Exposure Limits 2005 (EH40) Health and Safety at Work Act (As Amended) 1974 Control of Substances Hazardous to Health Regulations 2002 (as amended) The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2007 (CDG 2007). Users of this product are reminded of their duties under the current Control of Substances Hazardous to Health Regulations and a suitable and sufficient assessment of all the risk should be undertaken before using this product. The guidelines given in the HSE publication COSHH ESSENTIALS - Easy Steps To Control Chemicals gives sound advice for deciding safe working control measures.

### Authorisations (Title VII Regulation 1907/2006)

No specific authorisations are noted for this product.

### Restrictions (Title VIII Regulation 1907/2006)

No specific restrictions of use are noted for this product.

## 15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

## SECTION 16: OTHER INFORMATION

### General information

Only trained personnel should use this material.

### Training Advice

The information on directions for use can be found on the product label. It is important to ensure that anyone using this product in the workplace has been adequately trained and in particular: The use of personal protective equipment. methods of cleaning up and disposal of waste. The basic first aid arrangements.

**Revision Date** 01/09/2015

**Revision** 4

**Supersedes date** 30/03/2015

### Risk Phrases In Full

R34	Causes burns.
R22	Harmful if swallowed.
R37	Irritating to respiratory system.
R38	Irritating to skin.
R43	May cause sensitisation by skin contact.
NC	Not classified.
R41	Risk of serious damage to eyes.
R23/24	Toxic by inhalation and in contact with skin.
R50	Very toxic to aquatic organisms.

### Hazard Statements In Full

H318	Causes serious eye damage.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H330	Fatal if inhaled.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H311	Toxic in contact with skin.
H400	Very toxic to aquatic life.

### Disclaimer

The information contained in this data sheet is provided in accordance with the requirements of the Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) The product should not be used for purposes other than those shown in Section 1.2. As the specific conditions of use are outside the suppliers control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet is based on the present knowledge and the current EC and UK Legislation. It provides guidance on health, safety and environmental aspects of the product and should not be taken as a product specification.