

SAFETY DATA SHEET

Fleetwood Wallpaper Stripper

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name Fleetwood Wallpaper Stripper
REACH Registration notes Registration number is not applicable as this is a mixture.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses SU 3 - INDUSTRIAL USES SU 21 - CONSUMER USES SU 22 - PROFESSIONAL USES A liquid to aid removal of wallpapers
Uses advised against Not to be used for cleaning skin.

1.3. Details of the supplier of the safety data sheet

Supplier FSW Coatings Ltd
Virginia
Co Cavan
Ireland
www.fleetwood.ie
Tel: +353 49854 7209
Fax: +353 49854 7470
Email: info@fsw.ie
Contact Person DCM Compliance info@dcmcompliance.com

1.4. Emergency telephone number

+353 49854 7209

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)
Physical and Chemical Hazards Not classified.
Human health Not classified.
Environment Not classified.
Classification (1999/45/EEC) Not classified.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Human health

Splashes in the eyes may cause redness and irritation. Prolonged skin contact may cause redness, irritation and dry skin.

2.2. Label elements

Label In Accordance With (EC) No. 1272/2008

No pictogram required.

Supplemental label information

EUH210

Safety data sheet available on request.

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Fleetwood Wallpaper Stripper

Alcohols, C12-14, ethoxylated, sulfates, sodium salts		1-5%
CAS-No.: 68891-38-3	EC No.: 500-234-8	Registration Number: 2119488639-16-XXXX
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Dam. 1 - H318	Classification (67/548/EEC) Xi;R38,R41.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

REACH Registration notes

Registration number is not applicable as this is a mixture.

Composition Comments

The data shown are in accordance with the latest EC Directives. A solution of surfactants dissolved in water

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues. Unlikely route of exposure as the product does not contain volatile substances.

Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Skin contact

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

Eye contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General information

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

Inhalation

No specific symptoms noted.

Ingestion

May cause discomfort if swallowed. May cause stomach pain or vomiting.

Skin contact

Prolonged contact may cause redness, irritation and dry skin.

Eye contact

Prolonged contact may cause redness and/or tearing.

4.3. Indication of any immediate medical attention and special treatment needed

No specific chemical antidote is known to be required after exposure to this product. Treat Symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media

None

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Unusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted.

Specific hazards

Considering the size of the packaging, the risk is regarded as minimal.

5.3. Advice for firefighters

Fleetwood Wallpaper Stripper

Special Fire Fighting Procedures

No specific fire fighting procedure given.

Protective equipment for fire-fighters

Wear self-contained breathing apparatus and protective suit. In case of a large fire or in confined or poorly ventilated spaces, wear full fire retardant protective clothing and self contained breathing apparatus with a full face-piece operated in positive pressure mode.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet. In case of spills, beware of slippery floors and surfaces.

6.2. Environmental precautions

Do not discharge into drains, water courses or onto the ground. Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

6.4. Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet. See section 11 for additional information on health hazards. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid spilling, skin and eye contact. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Follow instructions and ensure correct dilution of this product before use.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

Storage Class

Unspecified storage.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

Usage Description

Apply "common sense" measures when handling this product. Keep containers closed when not in use. Keep out of reach of children. Avoid all contact with skin and eyes. Where possible avoid prolonged contact with the skin.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Ingredient Comments

Due to the hazardous nature of ingredients, exposure should be minimal.

DNEL data quoted is for the hazardous ingredient.

PNEC quoted is for the hazardous ingredient

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (CAS: 68891-38-3)

Ingredient Comments

The figures quoted below are taken from the registration document.

DNEL

Professional	Inhalation.	Long Term	Systemic Effects	175 mg/m3
Professional	Dermal	Long Term	Systemic Effects	2750 mg/kg/day
Consumer	Inhalation.	Long Term	Systemic Effects	52 mg/m3
Consumer	Dermal	Long Term	Systemic Effects	1650 mg/kg/day
Consumer	Oral	Long Term	Systemic Effects	15 mg/kg/day

PNEC

Industry	Freshwater	0.24	mg/l
Industry	Marinewater	0.024	mg/l
Industry	Intermittent release	0.071	mg/l
Industry	STP	10, 000	mg/l
Industry	Sediment (Freshwater)	5.45	mg/kg

8.2. Exposure controls

Fleetwood Wallpaper Stripper

Protective equipment



Engineering measures

No specific ventilation requirements noted, except this product must not be used in a confined space without good ventilation.

Respiratory equipment

Respiratory protection not required.

Hand protection

Use suitable protective gloves if risk of skin contact. Rubber gloves are recommended.

Eye protection

Where there is a risk of splashes to the eyes it is recommended that safety glasses/goggles approved to EN166 standard are worn.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Orange.
Odour	Detergent.
Solubility	Soluble in water. Insoluble in ordinary solvents.
Initial boiling point and boiling range (°C)	100
Melting point (°C)	Not relevant
Relative density	0.955 - 1.055
Vapour density (air=1)	Not relevant
Vapour pressure	Not applicable.
Evaporation rate	Not relevant
pH-Value, Conc. Solution	6.5 - 7.5
Viscosity	34 - 39 seconds (B2 cup)
Decomposition temperature (°C)	Not relevant
Odour Threshold, Lower	Not available.
Odour Threshold, Upper	Not available.
Flash point (°C)	Not flammable
Auto Ignition Temperature (°C)	Not applicable.
Flammability Limit - Lower(%)	Not applicable.
Flammability Limit - Upper(%)	Not applicable.
Partition Coefficient (N-Octanol/Water)	Not available.
Explosive under influence of flame.	No
More sensitive to shock than m-dinitrobenzene.	No

Fleetwood Wallpaper Stripper

Other Flammability

Not applicable.

Not oxidising (based on the chemical structure of the substance and the oxidation states of the constituents elements).

Comments Information declared as "Not available, Not relevant or Not applicable" is not considered justified for enabling proper control measures to be taken.

9.2. Other information

Volatility Description Not Applicable

Volatile Organic Compound (VOC) 0

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerisation

Unknown.

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials To Avoid

Strong acids. Strong alkalis.

10.6. Hazardous decomposition products

None at ambient temperatures.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhalation

No specific health warnings noted.

Ingestion

May cause discomfort if swallowed. No harmful effects expected in amounts likely to be ingested by accident.

Skin contact

Skin irritation is not anticipated when used normally. Prolonged contact may cause dryness of the skin. Repeated exposure may cause skin dryness or cracking.

Eye contact

Irritating and may cause redness and pain.

Health Warnings

This product has low toxicity. Only large volumes may have adverse impact on human health.

Route of entry

Ingestion. Skin and/or eye contact.

Target Organs

Gastro-intestinal tract Eyes Skin

Medical Symptoms

May cause discomfort if swallowed. Skin contact may cause: Dry skin. Eye contact may cause: Irritation of eyes and mucous membranes.

Fleetwood Wallpaper Stripper

Medical Considerations

Skin disorders and allergies.

Toxicological information on ingredients.

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (CAS: 68891-38-3)

Acute toxicity:

Acute Toxicity (Oral LD50)

4100 mg/kg Rat

REACH dossier information

Based on available data the classification criteria are not met.

Acute Toxicity (Dermal LD50)

> 2000 mg/kg Rat

REACH dossier information

Based on available data the classification criteria are not met.

Acute Toxicity (Inhalation LC50)

Scientifically unjustified.

Skin Corrosion/Irritation:

Oedema score

Moderate oedema - raised approximately 1 mm (3).

Irritating.

Serious eye damage/irritation:

Eye Damage 1

Respiratory or skin sensitisation:

Respiratory sensitisation

Not applicable.

REACH dossier information

There is no evidence that the material can lead to respiratory hypersensitivity.

Skin sensitisation

Not applicable.

Guinea pig maximization test (GPMT): Guinea Pig

REACH dossier information

Not Sensitising.

Carcinogenicity:

Carcinogenicity

Not applicable.

This substance has no evidence of carcinogenic properties.

Reproductive Toxicity:

Reproductive Toxicity - Development

Not applicable.

This substance has no evidence of toxicity to reproduction.

Aspiration hazard:

Based on available data the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

The product is not expected to be hazardous to the environment.

12.1. Toxicity

Fleetwood Wallpaper Stripper

Ecological information on ingredients.

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (CAS: 68891-38-3)

Acute Toxicity - Fish

LC50 96 hours 7.1 mg/l Freshwater fish

REACH dossier information

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours 7.2 Daphnia magna

REACH dossier information

Acute Toxicity - Aquatic Plants

EC50 72 hours 27 mg/l Scenedesmus subspicatus

REACH dossier information

Acute Toxicity - Microorganisms

EC50 10, 000 mg/l Activated sludge

REACH dossier information DURATION 16 HOUR

12.2. Persistence and degradability

Degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Partition coefficient

Not available.

12.4. Mobility in soil

Mobility:

The product will dissolve rapidly in water.

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

Not applicable.

SECTION 13: DISPOSAL CONSIDERATIONS

General information

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Small amounts may be flushed with water to sewer. Larger volumes must be sent to approved plant for destruction. Used containers can be cleaned with water and either reused or disposed of as non hazardous waste.

Waste Class

20 01 29 Detergents containing dangerous substances

SECTION 14: TRANSPORT INFORMATION

General

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

Road Transport Notes

Not Classified

Rail Transport Notes

Not classified.

Sea Transport Notes

Not classified.

Air Transport Notes

Not classified.

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Fleetwood Wallpaper Stripper

Transport Labels

No transport warning sign required.

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Uk Regulatory References

Health and Safety at Work Act 1974. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. Chemicals (Hazard Information & Packaging) Regulations.

Environmental Listing

Control of Pollution Act 1974. The surfactants contained in this product comply with the biodegradability criteria laid down in EC No 648/2004 Articles 4 and 9 on detergents. Data to support this assertion is held at the disposal of the competent authorities of the Member States and will be made available to them on their request.

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Control of Substances Hazardous to Health.

Approved Code Of Practice

Classification and Labelling of Substances and Preparations Dangerous for Supply. Safety Data Sheets for Substances and Preparations.

Guidance Notes

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

EU Legislation

Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

National Regulations

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002. No. 1689. Workplace Exposure Limits 2005 (EH40) Health and Safety at Work Act (As Amended) 1974 Control of Substances Hazardous to Health Regulations 2002 (as amended) The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. Users of this product are reminded of their duties under the current Control of Substances Hazardous to Health Regulations and a suitable and sufficient assessment of all the risk should be undertaken before using this product. The guidelines given in the HSE publication COSHH ESSENTIALS - Easy Steps To Control Chemicals gives sound advice for deciding safe working control measures.

Authorisations (Title VII Regulation 1907/2006)

No specific authorisations are noted for this product.

Restrictions (Title VIII Regulation 1907/2006)

No specific restrictions of use are noted for this product.

15.2. Chemical Safety Assessment

SECTION 16: OTHER INFORMATION

General information

When surfaces are to be prepared for painting account must be taken of the age of the property and the possibility that lead may be present. As a working rule you should assume that this will be the case if the age of the property is pre 1960. Where possible wet flatting or chemical stripping methods should be used with surfaces of this type to avoid the formation of lead dust.

Revision Date 01/09/2015

Revision 8

Supersedes date 09/07/2015

Risk Phrases In Full

R38 Irritating to skin.

NC Not classified.

R41 Risk of serious damage to eyes.

Fleetwood Wallpaper Stripper

Hazard Statements In Full

H318	Causes serious eye damage.
H315	Causes skin irritation.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.