



## SAFETY DATA SHEET

### Fleetwood Difficult Surfaces Melamine & Kitchen Cabinet Primer

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

##### 1.1. Product identifier

Product name Fleetwood Difficult Surfaces Melamine & Kitchen Cabinet Primer

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Paint or paint related material.

##### 1.3. Details of the supplier of the safety data sheet

Supplier FSW Coatings Ltd  
 Virginia  
 Co Cavan  
 Ireland  
 www.fleetwood.ie  
 Tel: + 353 49854 7209  
 Fax: +353 49854 7470  
 Email: info@fsw.ie  
 Contact Person SDS Contact: DCM Compliance, info@dcmcompliance.com

##### 1.4. Emergency telephone number

Emergency Contact Number + 353 49854 7209 (Between 0900 and 1700 hrs Monday-Friday)

#### SECTION 2: HAZARDS IDENTIFICATION

##### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Hazards	Not classified.	
Human health	Not classified.	
Environment	Not classified.	

Classification (1999/45/EEC) Not classified.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

##### 2.2. Label elements

Label In Accordance With (EC) No. 1272/2008

No pictogram required.

##### 2.3. Other hazards

None known.

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

##### 3.2. Mixtures

<b>2-(2-BUTOXYETHOXY)ETHANOL</b>		<b>1-10%</b>
CAS-No.: 112-34-5	EC No.: 203-961-6	Registration Number: 01-2119475104-44
Classification (EC 1272/2008) Eye Irrit. 2 - H319	Classification (67/548/EEC) Xi;R36	

<b>2-AMINOETHANOL</b>		<b>1-10%</b>
<b>CAS-No.: 141-43-5</b>	<b>EC No.: 205-483-3</b>	
Classification (EC 1272/2008)	Classification (67/548/EEC)	
Acute Tox. 4 - H302	C;R34	
Acute Tox. 4 - H312	Xn;R20/21/22	
Acute Tox. 4 - H332		
Skin Corr. 1B - H314		
STOT SE 3 - H335		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

#### **General information**

General first aid, rest, warmth and fresh air. Get medical attention.

#### **Inhalation**

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

#### **Ingestion**

Rinse mouth thoroughly. Get medical attention if any discomfort continues. Provide fresh air, warmth and rest, preferably in comfortable upright sitting position.

#### **Skin contact**

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

#### **Eye contact**

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### 4.2. Most important symptoms and effects, both acute and delayed

#### **General information**

If adverse symptoms develop as described the casualty should be transferred to hospital as soon as possible.

#### **Inhalation**

Inhalation of mist or vapor may cause respiratory tract irritation

#### **Ingestion**

May cause discomfort if swallowed. May cause stomach pain or vomiting.

#### **Skin contact**

Prolonged contact may cause redness, irritation and dry skin.

#### **Eye contact**

Prolonged contact may cause redness and/or tearing.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat Symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### **Extinguishing media**

Use fire-extinguishing media appropriate for surrounding materials. Extinguish with foam, carbon dioxide, dry powder or water fog.

### 5.2. Special hazards arising from the substance or mixture

#### **Specific hazards**

The product is non-combustible. If heated, corrosive and toxic vapours/gases may be formed.

### 5.3. Advice for firefighters

# Fleetwood Difficult Surfaces Melamine & Kitchen Cabinet Primer

## Special Fire Fighting Procedures

If possible, fight fire from protected position. Keep up-wind to avoid fumes. Avoid breathing fire vapours. Ventilate closed spaces before entering them. Containers close to fire should be removed or cooled with water.

## Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid inhalation of vapours and contact with skin and eyes. Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet.

### 6.2. Environmental precautions

Do not discharge into drains, water courses or onto the ground. Contain spillages with sand, earth or any suitable adsorbent material. Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

### 6.3. Methods and material for containment and cleaning up

Should be prevented from entering drains. Absorb in vermiculite, dry sand or earth and place into containers. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

### 6.4. Reference to other sections

For personal protection, see section 8.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Read and follow manufacturer's recommendations. Do not handle broken packages without protective equipment. Avoid spilling, skin and eye contact. Observe occupational exposure limits and minimise the risk of inhalation of vapours and mist. Do not eat, drink or smoke when using the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in closed original container at temperatures between 5°C and 25°C. Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight. Keep containers tightly closed. Keep upright. Store separated from: Oxidising material. Alkalis. Acids.

### 7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

### Usage Description

Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
2-(2-BUTOXYETHOXY)ETHANOL	OEL	10 ppm	67.5 mg/m <sup>3</sup>	15 ppm	101.2 mg/m <sup>3</sup>	
2-AMINOETHANOL	OEL	1 ppm(Sk)	2.5 mg/m <sup>3</sup> (Sk)	3 ppm(Sk)	7.6 mg/m <sup>3</sup> (Sk)	

OEL = Occupational Exposure Limit.

### Ingredient Comments

Ireland, Occupational Exposure Limits 2011 OEL = Occupational Exposure Limit. SK = Can be absorbed through the skin.

### 8.2. Exposure controls

#### Protective equipment

## Fleetwood Difficult Surfaces Melamine & Kitchen Cabinet Primer



### Engineering measures

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

### Respiratory equipment

No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit.

### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Nitrile rubber

Break through time: 480 min

Glove thickness: > 0,33 mm

Chloroprene

Break through time: 480 min

Glove thickness: > 0,6 mm

### Eye protection

If risk of splashing, wear safety goggles or face shield. Tightly fitting safety glasses (EN 166).

### Hygiene measures

Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke. Take off immediately all contaminated clothing. Avoid contact with skin, eyes and clothing.

### Personal protection

Do not inhale vapours. Avoid contact with eyes and skin.

### Skin protection

Direct contact with skin must be prevented.

### Environmental Exposure Controls

Keep container tightly sealed when not in use.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	White.
Odour	Mild.
Solubility	Soluble in water.
Initial boiling point and boiling range (°C)	
Not determined.	
Melting point (°C)	
Not determined.	
Relative density	1.23 20°C
Bulk Density	
Not determined.	
Vapour density (air=1)	Heavier than air
Vapour pressure	
Not determined.	
Evaporation rate	
Not determined.	
Evaporation Factor	
Not determined.	
pH-Value, Conc. Solution	7.0 - 8.0
Viscosity	
Not determined.	

## Fleetwood Difficult Surfaces Melamine & Kitchen Cabinet Primer

### Solubility Value (G/100G H<sub>2</sub>O@20°C)

Not determined.

### Decomposition temperature (°C)

Not determined.

### Odour Threshold, Lower

Not determined.

### Flash point (°C)

Not determined.

### Auto Ignition Temperature (°C)

Not determined.

### Flammability Limit - Lower(%)

Not determined.

### Explosive properties

Not determined.

### Oxidising properties

Not determined.

## 9.2. Other information

Volatile Organic Compound (VOC) 27 g/litre

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No specific reactivity hazards associated with this product.

### 10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

### 10.3. Possibility of hazardous reactions

See section 10.1 for information on hazardous reactions.

### 10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition. Avoid contact with acids and oxidising substances.

### 10.5. Incompatible materials

#### Materials To Avoid

Strong acids. Strong oxidising substances. Strong alkalis.

### 10.6. Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Toxicological information

No data recorded.

#### Serious eye damage/irritation:

No information available.

#### Respiratory or skin sensitisation:

##### Skin sensitisation

No information available.

#### Germ cell mutagenicity:

##### Genotoxicity - In Vitro

No information available.

##### Genotoxicity - In Vivo

No information available.

## Fleetwood Difficult Surfaces Melamine & Kitchen Cabinet Primer

### Carcinogenicity:

#### **Carcinogenicity**

No information available.

### Reproductive Toxicity:

#### **Reproductive Toxicity - Fertility**

No information available.

#### **Reproductive Toxicity - Development**

No information available.

### Specific target organ toxicity - single exposure:

#### **STOT - Single exposure**

No information available.

### Specific target organ toxicity - repeated exposure:

#### **STOT - Repeated exposure**

No information available.

### **Inhalation**

No harmful effects expected in amounts likely to be inhaled by accident.

### **Ingestion**

No harmful effects expected in amounts likely to be ingested by accident.

### **Skin contact**

Prolonged contact may cause dryness of the skin.

### **Eye contact**

May cause temporary eye irritation.

### **Health Warnings**

This product has low toxicity. Only large volumes may have adverse impact on human health.

### **Route of entry**

Inhalation. Skin absorption. Ingestion. Skin and/or eye contact.

### **Medical Considerations**

Skin disorders and allergies.

## SECTION 12: ECOLOGICAL INFORMATION

### **Ecotoxicity**

There are no data on the ecotoxicity of this product.

#### **12.1. Toxicity**

No ecological toxicity available on the overall finished product.

#### **12.2. Persistence and degradability**

##### **Degradability**

The product is expected to be biodegradable.

#### **12.3. Bioaccumulative potential**

##### **Bioaccumulative potential**

No data available on bioaccumulation.

#### **12.4. Mobility in soil**

##### **Mobility:**

The product contains substances, which are water soluble and may spread in water systems.

#### **12.5. Results of PBT and vPvB assessment**

This product does not contain any PBT or vPvB substances.

## Fleetwood Difficult Surfaces Melamine & Kitchen Cabinet Primer

### 12.6. Other adverse effects

None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

### **General information**

Do not allow to enter drains, sewers or watercourses. Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

### 13.1. Waste treatment methods

Do not allow runoff to sewer, waterway or ground.

### **Waste Class**

When this coating in its liquid state as supplied, becomes a waste, it is categorised as non-hazardous waste with code 08 01 12 (WATER BASED LIQUID STATE). Part used containers, not drained and / or rigorously scraped out and containing dry residues of the supplied coating, are categorised as non-hazardous waste with code 15 01 02 (PLASTIC PACKAGING) or 15 01 04 (METAL PACKAGING).

## SECTION 14: TRANSPORT INFORMATION

**General** The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

Not applicable.

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

### **Transport Labels**

No transport warning sign required.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

### **Environmentally Hazardous Substance/Marine Pollutant**

No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Approved Code Of Practice**

2011 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001 (S.I. No. 619 of 2001)

#### **EU Legislation**

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Reach Regulation (EC) No 453/2010.

### 15.2. Chemical Safety Assessment

## Fleetwood Difficult Surfaces Melamine & Kitchen Cabinet Primer

No chemical safety assessment has been carried out.

### SECTION 16: OTHER INFORMATION

#### General information

This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010.

#### Revision Comments

This is first issue.

#### Risk Phrases In Full

R34	Causes burns.
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R36	Irritating to eyes.
R37	Irritating to respiratory system.
NC	Not classified.

#### Hazard Statements In Full

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

#### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.