

Product Permacryl
 Revision date 08 July 2021
 Revision 1



Safety Data Sheet (SDS)

according to Regulation (EC) No. 1907/2006

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Permacryl
Other means of identification No information available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Paint or paint related material. For industrial use.
Uses advised against No uses advised against are identified.

1.3 Details of the supplier of the safety data sheet

Supplier FSW Coatings Ltd
 Virginia
 Co Cavan
 Ireland
 Tel: 353 49854 7209
Contact person info@fsw.ie

1.4 Emergency telephone number

Emergency telephone + 353 49854 7209 (Between 0900 and 1700 hrs Monday-Friday)

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (EC 1272/2008)
 Physical and chemical hazards Not classified
 Human health Not classified
 Environment Aquatic Chronic 3 - H412

2.2 Label elements

Contains Not applicable

Label in accordance with (EC) no. 1272/2008 No pictogram required

Signal word No Signal Word

Hazard statements H412 Harmful to aquatic life with long lasting effects.

Precautionary statements
Prevention
 P273 Avoid release to the environment.
Disposal
 P501 Dispose of contents/ container to a licensed hazardous waste disposal facility in accordance with all applicable regulations.

EUH statements
 EUH208 Contains Fatty acids, C18 unsat, reaction products with diethylenetriamine, Fatty acids, tall-oil, reaction products with diethylenetriamine compds. with polyethylene glycol hydrogen maleate C9-11-alkyl ether,3-iodo-2-propynyl butylcarbamate and reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
 EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

3-iodo-2-propynyl butylcarbamate is under assessment as an Endocrine Disruptor.

Section 3: Composition/information on ingredients

3.1 Substance

Not applicable.

3.2 Mixtures

| Name | Product identifier | Regulation (EC) No 1272/2008 | % |
|--|---|---|----------|
| titanium dioxide | CAS-No.: 13463-67-7 EC No.: 236-675-5 REACH Reg No.: 01-2119489379-17-XXXX | | 10-20% |
| Limestone | CAS-No.: 1317-65-3 EC No.: 215-279-6 | | 10-20% |
| propane-1,2-diol | CAS-No.: 57-55-6 EC No.: 200-338-0 REACH Reg No.: 01-2119456809-23-0000 | | 1-5% |
| Fatty acids, tall-oil, reaction products with diethylenetriamine compds. with polyethylene glycol hydrogen maleate C9-11-alkyl ether | CAS-No.: 1262797-52-3 EC No.: | Skin. Sens 1 - H317, Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410 | 0.1-0.9% |
| 2-(2-butoxyethoxy)ethanol | CAS-No.: 112-34-5 EC No.: 203-961-6 REACH Reg No.: 01-2119475104-44-XXXX | Eye Irrit.2A - H319 | 0.1-0.9% |
| 3-iodo-2-propynyl butylcarbamate | CAS-No.: 55406-53-6 EC No.: 259-627-5 | Acute Tox 4 - H302, Skin. Sens 1 - H317, Eye Dam. 1 - H318, Acute Tox 3 - H331, STOT RE 1 - H372, Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410 | 0.1-0.9% |
| 2-aminoethanol | CAS-No.: 141-43-5 EC No.: 205-483-3 REACH Reg No.: 01-2119486455-28-0030 | Acute Tox 4 - H302, Acute Tox 4 - H312, Acute Tox 4 - H332, Skin Corr. 1B - H314, STOT SE 3 - H335, Aquatic Chronic 3 - H412 | <0.1% |
| 2,2',2''-nitrioltriethanol | CAS-No.: 102-71-6 EC No.: 203-049-8 REACH Reg No.: 01-2119486482-31-XXXX | | <0.1% |
| Fatty acids, C18 unsat, reaction products with diethylenetriamine | CAS-No.: 1226892-43-8 EC No.: 629-715-1 REACH Reg No.: 01-2119487013-43-XXXX | Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410, Skin Corr. 1C - H314, Skin. Sens 1A - H317 | <0.1% |
| Kaolin | CAS-No.: 1332-58-7 EC No.: 310-194-1 | | <0.1% |
| ammonia, anhydrous | CAS-No.: 7664-41-7 EC No.: 231-635-3 | Flam. Gas 2 - H221, Skin Corr. 1B - H314, Acute Tox 3 - H331, Aquatic Acute 1 - H400 | <0.1% |
| 2,2'-iminodiethylamine | CAS-No.: 111-40-0 EC No.: 203-865-4 REACH Reg No.: 01-2119473793-27 | Acute Tox 4 - H302, Acute Tox 4 - H312, Acute Tox 2 - H330, Skin Corr. 1B - H314, Skin. Sens 1 - H317, STOT SE 3 - H335 | <0.1% |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | CAS-No.: 55965-84-9 EC No.: | Acute Tox 3 - H301, Acute Tox 2 - H310, Skin Corr. 1B - H314, Skin. Sens 1 - H317, Acute Tox 3 - H331, Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410 | <0.1% |

The full text for all hazard statements are displayed in section 16.

Composition comments

The data shown are in accordance with the latest EC Directives.

2-aminoethanol: Specific Concentration Limit - STOT SE3 / H335; >= 5.

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) - SCLs: Eye Damage 1: C > or = 0,6 %; Eye Irritation 2; H319: 0,06 % < or = C < 0,6 %; Skin Corrosion 1C: C > or = 0,6 %; Skin Irritation 2; H315: 0,06 % < or = C < 0,6 %; Skin Sensitisation 1A: C > or = 0,0015 %; M factors: M=100, M(Chronic)=100.

3-iodo-2-propynyl butylcarbamate: M Factor acute = 10; M Factor chronic = 1.

Fatty acids, C18 unsat, reaction products with diethylenetriamine: M Factor Acute =10, Chronic = 1.

Section 4: First aid measures

4.1 Description of first aid measures

| | |
|----------------------------|---|
| General information | Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if symptoms persist, always call a doctor. |
| Inhalation | Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort or breathing difficulties develop. |
| Ingestion | Rinse mouth out and then drink plenty of water. Seek medical attention. |
| Skin contact | Remove affected person from source of contamination. Wash exposed area with soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Remove contact lenses if present and easy to do so. Hold eye lids open. Rinse with a gentle stream water for at least 15 minutes. Seek medical attention. |

4.2 Most important symptoms and effects, both acute and delayed

| | |
|----------------------------|---|
| General information | The severity of the symptoms described will vary dependent on the concentration and the length of exposure. |
| Inhalation | Prolonged inhalation of fog or mist may be irritating to nose and throat. |
| Ingestion | Prolonged exposure to product may cause irritation to lining of the mouth. |
| Skin contact | Prolonged contact may cause redness, irritation and dry skin. May cause an allergic skin reaction. |
| Eye contact | May cause temporary eye irritation. |

4.3 Indication of any immediate medical attention and special treatment needed

| | |
|-------------------------------|------------------------|
| Notes to the physician | Treat symptomatically. |
|-------------------------------|------------------------|

Section 5: Firefighting measures

5.1 Extinguishing media

| | |
|---------------------------------------|--|
| Extinguishing media | This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials. |
| Unsuitable extinguishing media | High volume water jet. |

5.2 Special hazards arising from the substance or mixture

| | |
|---|---|
| Hazardous combustion products | During fire, gases hazardous to health may be formed. |
| Unusual fire & explosion hazards | No unusual fire or explosion hazards noted. |
| Specific hazards | None noted. |

5.3 Advice for firefighters

| | |
|--|---|
| Special fire fighting procedures | Avoid breathing fire vapours. Keep up-wind to avoid fumes. Fight advanced or massive fires from safe distance or protected location. Ventilate closed spaces before entering them. Containers close to fire should be removed immediately or cooled with water if safe to do so. |
| Protective equipment for firefighters | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

| | |
|------------------------------------|--|
| For non-emergency personnel | Wear protective clothing as described in Section 8 of this safety data sheet. |
| For emergency responders | Follow safe handling advice and personal protective equipment recommendations for normal use of product. |

6.2 Environmental precautions

| | |
|----------------------------------|---|
| Environmental precautions | Avoid discharge in to drains and water courses. |
|----------------------------------|---|

6.3 Methods and material for containment and cleaning up

| | |
|-------------------------------|---|
| Spill clean up methods | Stop leak if possible without risk. Wear necessary protective equipment. Absorb spillage with |
|-------------------------------|---|

non-combustible, absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Wash thoroughly after dealing with a spillage.

6.4 Reference to other sections

Reference to other sections

See section 1 for emergency contact. For personal protection, see section 8. For waste disposal, see section 13.

Section 7: Handling and storage

7.1 Precautions for safe handling

Handling

Read and follow manufacturer's recommendations. Observe occupational exposure limits and minimise the risk of inhalation of vapours and mist. Do not eat, drink or smoke when using the product. Avoid spilling, skin and eye contact. Ensure adequate ventilation. Use proper personal protection when handling (refer to Section 8).

7.2 Conditions for safe storage, including any incompatibilities

Storage precautions

Store in tightly closed original container in a cool, dry and well-ventilated place. Keep upright, locked up and out of reach of children.

Storage class

Unspecified storage.

7.3 Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.

Usage description

Use only according to directions. Replace and tighten cap after use.

Section 8: Exposure controls/Personal protection

8.1 Control parameters

| Component | STD | TWA (8 Hrs) | | STEL (15mins) | | Notes |
|----------------------------|-----|-------------|------------------------|---------------|-------------------------|-----------|
| titanium dioxide | OEL | | 10 mg/m ³ | | | |
| titanium dioxide | OEL | | 4 mg/m ³ | | | |
| Limestone | OEL | | 4 mg/m ³ | | | |
| Limestone | OEL | | 10 mg/m ³ | | | |
| propane-1,2-diol | OEL | 150 ppm | 470 mg/m ³ | | | |
| propane-1,2-diol | OEL | | 10 mg/m ³ | | | |
| 2-(2-butoxyethoxy)ethanol | OEL | 10 ppm | 67.5 mg/m ³ | 12 ppm | 101.2 mg/m ³ | IOELV |
| 2-aminoethanol | OEL | 1 ppm | 2.5 mg/m ³ | 3 ppm | 7.6 mg/m ³ | Sk, IOELV |
| 2,2',2''-nitrilotriethanol | OEL | | 5 mg/m ³ | | | |
| Kaolin | OEL | | 2 mg/m ³ | | | |
| ammonia, anhydrous | OEL | 20 ppm | 14 mg/m ³ | 50 ppm | 36 mg/m ³ | IOELV |
| 2,2'-iminodiethylamine | OEL | 1 ppm | 4 mg/m ³ | | | |

Ingredient comments

Ireland, Occupational Exposure Limits 2021.

8.2 Exposure Controls

Protective equipment



Engineering measures

Observe occupational exposure limits and minimize the risk of inhalation of dust. Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Respiratory equipment

No specific recommendation made, but respiratory protection must be used if the general

| | |
|---------------------------|---|
| Hand protection | level exceeds the recommended occupational exposure limit. Use type ABEK (EN 14387) respirator cartridges. Use suitable protective gloves if there is a risk of skin contact. Consult manufacturer for specific advice. Suggested material: Nitrile rubber gloves. Layer thickness: 0.11mm. Breakthrough time: >480 min. |
| Eye protection | Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU). |
| Other protection | Protective clothing should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. The selected clothing must satisfy the European norm standard EN 943. |
| Hygiene measures | Wash hands and / or face before breaks and at the end of the shift. Do not eat, drink, or smoke while using this product. Avoid contact with skin, eyes and clothing. |
| Process conditions | Use only according to directions. Ensure that eye flushing systems and safety showers are located close by in the work place. |

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|--|
| Appearance | Viscous liquid. |
| Colour | Various. |
| Odour | Faint odour. |
| Odour threshold - lower | No information available as testing has not been completed. |
| Odour threshold - upper | No information available as testing has not been completed. |
| pH-Value, Conc. Solution | >8.1 |
| pH-Value, Diluted solution | No information available as testing has not been completed. |
| Melting point | May start to solidify at the temperatures below 2°C. This is based on data for the following ingredient: water |
| Initial boiling point and boiling range | >42°C |
| Flash point | Not applicable. |
| Evaporation rate | Not applicable. |
| Flammability state | Non flammable |
| Flammability limit - lower(%) | No information available as testing has not been completed. |
| Flammability limit - upper(%) | 0% |
| Vapour pressure | Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C) |
| Vapour density (air=1) | Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2, 4-trimethylpentan-1,3-diol). |
| Relative density | 1.30 +/- 0.10 |
| Bulk density | No information available as testing has not been completed. |
| Solubility | Partially soluble in cold water. |
| Decomposition temperature | Stable under normal handling and storage conditions |
| Partition coefficient; n-Octanol/Water | No information available as testing has not been completed. |
| Auto ignition temperature (°C) | Not applicable. |
| Viscosity | Kinematic (40°C): >0.21 cm ² /s |
| Explosive properties | Not classified as explosive. |

Oxidising properties The product does not meet the criteria to be classified as oxidising.

9.2 Other information

Molecular weight No information available as testing has not been completed.

Volatile organic compound 18.00 g/litre

Other information Volume solids: 32.0% +/- 1.0%
Weight Solids: 48.0 +/- 1.0%

Section 10: Stability and reactivity

10.1 Reactivity

Reactivity No specific reactivity hazards associated with this product.

10.2 Chemical stability

Stability Stable under normal temperature conditions and recommended use.

10.3 Possibility of hazardous reactions

Hazardous reactions For information on hazardous reactions see section 10.1.
Hazardous polymerisation Unknown.
Polymerisation description Unknown.

10.4 Conditions to Avoid

Conditions to avoid Avoid heat, flames and other sources of ignition. Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid Do not mix with other chemicals unless listed on directions. Strong oxidising substances.

10.6 Hazardous decomposition products

Hazardous decomposition products When heated, vapours/gases hazardous to health may be formed.

Section 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No. 1272/2008

Toxicological information No toxicological information for the overall finished product.

Acute toxicity (Oral LD50) No information available as testing has not been completed.

Acute toxicity (Dermal LD50) No information available as testing has not been completed.

Acute toxicity (Inhalation LD50) No information available as testing has not been completed.

Serious eye damage/irritation Product is not classified as an eye irritant.

Skin corrosion/irritation The product is not classified as a skin corrosion/irritation hazard.

Respiratory sensitisation The product is not classified as a respiratory hazard.

Skin sensitisation The product is not classified as a skin sensitisation hazard.

Germ cell mutagenicity The product is not classified as a mutagen.

Carcinogenicity The product is not classified as a carcinogen hazard.

Specific target organ toxicity - Single exposure:

STOT - Single exposure The product is not classified as a single exposure specific target organ toxin.

Specific target organ toxicity - Repeated exposure:

STOT - Repeated exposure The product is not classified as a repeat exposure specific target organ toxin.

| | |
|-------------------------------|--|
| Inhalation | Prolonged inhalation of fog or mist may be irritating to nose and throat. |
| Ingestion | Prolonged exposure to product may cause irritation to lining of the mouth. |
| Skin contact | Prolonged contact may cause redness, irritation and dry skin. May cause an allergic skin reaction. |
| Eye contact | May cause temporary eye irritation. |
| Waste management | When handling waste, consideration should be made to the safety precautions applying to handling of the product. |
| Routes of entry | |
| Target organs | No target organs specified. |
| Aspiration hazards: | The product is not classified as an aspiration hazard. |
| Reproductive toxicity: | The product is not classified as a reproductive hazard. |

| Name | LD50 oral | LD50 dermal | LD50 inhalation |
|---|-------------------|----------------------|-----------------------------------|
| propane-1,2-diol | 22000.00mg/kg Rat | >2000.00mg/kg Rabbit | |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | 550.00mg/kg Rat | 200.00mg/kg Rat | 0.31mg/l (vapours) Rat 4 Hours |
| 2-aminoethanol | 1515.00mg/kg Rat | 2504.00mg/kg Rabbit | |
| 2,2',2''-nitriлотriethanol | 6400.00mg/kg Rat | >2000.00mg/kg Rabbit | |
| 2-(2-butoxyethoxy)ethanol | 3305.00mg/kg Rat | 2764.00mg/kg Rabbit | |
| 3-iodo-2-propynyl butylcarbamate | 1056.00mg/kg Rat | >2000.00mg/kg Rabbit | 0.67g/m3 Rat 4 Hours |

11.2 Information on other hazards

| | |
|-------------------------------------|-------------|
| Information on other hazards | None known. |
|-------------------------------------|-------------|

Section 12: Ecological information

12.1 Toxicity

| | |
|---|--|
| Acute toxicity - Fish | No information available as testing has not been completed. |
| Acute toxicity - Aquatic invertebrates | No information available as testing has not been completed. |
| Acute toxicity - Aquatic plants | No information available as testing has not been completed. |
| Acute toxicity - Microorganisms | No information available as testing has not been completed. |
| Chronic toxicity - Fish | No information available as testing has not been completed. |
| Chronic toxicity - Aquatic invertebrates | No information available as testing has not been completed. |
| Chronic toxicity - Aquatic plants | No information available as testing has not been completed. |
| Chronic toxicity - Microorganisms | No information available as testing has not been completed. |
| Ecotoxicity | The product contains a substance which is harmful to aquatic life with long lasting effects. |
| Eco toxicological information | The product contains a substance which is harmful to aquatic organisms. |

12.2 Persistence and degradability

| | |
|---------------------------------|---|
| Degradability | The degradability of the product has not been stated. |
| Biological oxygen demand | No information available as testing has not been completed. |
| Chemical oxygen demand | No information available as testing has not been completed. |

12.3 Bioaccumulative potential

| | |
|---|---|
| Bioaccumulative potential | No data available on bioaccumulation. |
| Bioaccumulation factor | No information available as testing has not been completed. |
| Partition coefficient; n-Octanol/Water | No information available as testing has not been completed. |

12.4 Mobility in soil

| | |
|-----------------|----------------------------------|
| Mobility | Partially soluble in cold water. |
|-----------------|----------------------------------|

12.5 Results of PBT and vPvB assessment

| | |
|---|--|
| Results of PBT and vPvB assessment | The product does not contain any PBT or vPvB Substances. |
|---|--|

12.6 Endocrine disrupting properties

Endocrine disrupting properties 3-iodo-2-propynyl butylcarbamate is under assessment as an Endocrine Disruptor.

12.7 Other adverse effects

Other adverse effects None known.

| Name | Acute toxicity (Fish) | Acute toxicity (Aquatic invertebrates) | Acute toxicity (Aquatic plants) |
|--|--|--|---|
| propane-1,2-diol | LC50 96 Hours 40613.00mg/l Onchorhynchus mykiss (Rainbow Trout) | | |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-H-isothiazol-3-one (3:1) | LC50 96 Hours 0.22mg/l Onchorhynchus mykiss (Rainbow Trout) LC50 96 Hours 0.58mg/l Brachydanio rerio (Zebra Fish) | EC50 48 Hours 0.10mg/l Daphnia magna EC50 21 days >1.00mg/l Daphnia magna | EC50 72 Hours 0.16mg/l Selenastrum Capricornutum |
| 2-aminoethanol | LC50 96 Hours 114.00mg/l Onchorhynchus mykiss (Rainbow Trout) | EC50 48 Hours 65.00mg/l Daphnia magna | EC50 72 Hours 2.50mg/l Selenastrum Capricornutum |
| 2,2',2''-nitrioltriethanol | LC50 96 Hours 11800.00mg/l Pimephales promelas (Fat-head Minnow) | NOEC 21 days 16.00mg/l Daphnia magna | EC50 72 Hours 216.00mg/l Scenedesmus Subspicatus |
| 2-(2-butoxyethoxy)ethanol | LC50 96 Hours 1300.00mg/l Lepomis macrochirus (Bluegill) | EC50 48 Hours >100.00mg/l Daphnia magna | |
| 3-iodo-2-propynyl butylcarbamate | NOEC 96 Hours 0.05mg/l Onchorhynchus mykiss (Rainbow Trout) | EC50 21 days 0.05mg/l Daphnia magna | NOEC 72 Hours 0.00mg/l Scenedesmus Subspicatus |

Section 13: Disposal considerations

Waste management When handling waste, consideration should be made to the safety precautions applying to handling of the product.

13.1 Waste treatment methods

Disposal methods Dispose of waste and residues in accordance with local authority requirements, and in accordance with all local, national and international regulations. For waste disposal, use a licensed industrial waste disposal agent.

Section 14: Transport information**14.1 UN number or ID number**

UN no. (ADR) Not applicable.
UN no. (IMDG) Not applicable.
UN no. (IATA) Not applicable.

14.2 UN proper shipping name

ADR proper shipping name Not applicable.
IMDG proper shipping name Not applicable.
IATA proper shipping name Not applicable.

14.3 Transport hazard class(es)

ADR class Not applicable.
IMDG class Not applicable.
IATA class Not applicable.

Transport labels Not applicable

14.4 Packing group

ADR/RID/ADN packing group Not applicable.
IMDG packing group Not applicable.
IATA packing group Not applicable.

14.5 Environmental hazards

| | |
|------|----|
| ADR | No |
| IMDG | No |
| IATA | No |

14.6 Special precautions for user

| | |
|-------------------------|-----------------|
| EMS | Not applicable. |
| Emergency action code | Not applicable. |
| Hazard no. (ADR) | Not applicable. |
| Tunnel restriction code | Not applicable. |

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

Section 15: Regulatory information**15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture**

| | |
|----------------------------------|---|
| EU legislation | Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). |
| Approved code of practice | 2021 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2021) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001-2019) |

15.2 Chemical safety assessment

| | |
|-----------------------------------|---|
| Chemical safety assessment | No chemical safety assessment has been carried out. |
|-----------------------------------|---|

Section 16: Other information

| | |
|---------------------------------|---|
| General information | This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010. |
| Revision comments | This is a first issue. |
| Revision date | 08 July 2021 |
| Revision | 1 |
| Safety data sheet status | Approved. |

Hazard statements in full

| | |
|---------------|--|
| H317 | May cause an allergic skin reaction. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H319 | Causes serious eye irritation. |
| H302 | Harmful if swallowed. |
| H318 | Causes serious eye damage. |
| H331 | Toxic if inhaled. |
| H372 | Causes damage to organs through prolonged or repeated exposure . |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H412 | Harmful to aquatic life with long lasting effects. |
| H221 | Flammable gas. |
| H330 | Fatal if inhaled. |
| H301 | Toxic if swallowed. |
| H310 | Fatal in contact with skin. |
| EUH208 | Contains Fatty acids, C18 unsat, reaction products with diethylenetriamine, Fatty acids, tall-oil, reaction products with diethylenetriamine compds. with polyethylene glycol hydrogen maleate C9-11-alkyl ether,3-iodo-2-propynyl butylcarbamate and reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic |

EUH211

reaction.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.