Product Ridgeway Spray Coat

Revision date 11 September 2018

Revision 2



Safety Data Sheet (SDS)

Section 1: Identification of the substance/preparation and of the company/undertaking

1.1 Product identifier

Product name Ridgeway Spray Coat Synonyms, Trade names No information available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Paint or paint related material. For industrial use.

Uses advised against No uses advised against are identified.

1.3 Details of the supplier of the safety data sheet

Supplier FSW Coatings Ltd

Virginia Co Cavan Ireland

Tel: 353 49854 7209

Contact person info@fsw.ie

1.4 Emergency telephone number

Emergency telephone + 353 49854 7209 (Between 0900 and 1700 hrs Monday-Friday)

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and chemical hazards Not classified Human health Not classified Environment Not classified

2.2 Label elements

Contains Not applicable

Label in accordance with (EC) no.

1272/2008

No pictogram required

Signal word No Signal Word

Hazard statements No hazard statements required

Precautionary statements No precautionary statements required

2.3 Other hazards

None known.

Section 3: Composition/identification of ingredients

3.1 Substance

Not applicable.

3.2 Mixtures

Name	Product identifier	Reg. EU 1272/2008	%
Limestone	CAS-No.: 1317-65-3 EC No.: 215-279-6		10-30%
titanium dioxide	CAS-No.: 13463-67-7 EC No.: 236-675-5		10-30%
Talc (Mg3H2(SiO3)4)	CAS-No.: 14807-96-6 EC No.: 238-877-9		1-10%
diiron trioxide	CAS-No.: 1309-37-1 EC No.: 215-168-2		0-1%
zinc oxide	CAS-No.: 1314-13-2 EC No.: 215-222-5	Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	0-1%
diuron (ISO) 3-(3,4-dichlorophenyl),1-dimethylurea	CAS-No.: 330-54-1 EC No.: 206-354-4	Acute Tox 4 - H302, Carc. 2 - H351, STOT RE 2 - H373, Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	0-1%
Quartz (SiO2)	CAS-No.: 14808-60-7 EC No.: 238-878-4		0-1%
2,2'-oxydiethanol	CAS-No.: 111-46-6 EC No.: 203-872-2	Acute Tox 4 - H302, STOT RE 2 - H373	0-1%

The full text for all hazard statements are displayed in section 16.

Composition comments The data shown are in accordance with the latest EC Directives.

Section 4: First aid measures

4.1 Description of first aid measures

General information Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if

symptoms persist, always call a doctor.

Inhalation Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if any discomfort or breathing difficulties develop.

Ingestion Rinse mouth out and then drink plenty of water. Seek medical attention.

Skin contact Remove affected person from source of contamination. Wash exposed area with soap and

water. Get medical attention if irritation develops or persists.

Eye contact Remove contact lenses if present and easy to do so. Hold eye lids open. Rinse with a gentle

stream water for at least 15 minutes. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

InhalationNo specific symptoms noted.IngestionNo specific symptoms noted.Skin contactNo specific symptoms noted.Eye contactNo specific symptoms noted.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to the physicianTreat symptomatically.

Section 5: Fire-fighting measures

5.1 Extinguishing media

Extinguishing mediaThis product is not flammable. Use fire-extinguishing media appropriate for surrounding

materials. Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing media None noted.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

ducts None Known.

Unusual fire & explosion hazards

No unusual fire or explosion hazards noted.

Specific hazards None noted.

5.3 Advice for firefighters

Special fire fighting procedures Avoid breathing fire vapours. Keep up-wind to avoid fumes. Fight advanced or massive fires

from safe distance or protected location. Ventilate closed spaces before entering them. Containers close to fire should be removed immediately or cooled with water if safe to do so. Protective equipment for firefighters Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

For emergency responders Follow safe handling advice and personal protective equipment recommendations for normal

use of product.

6.2 Environmental precautions

Environmental precautions Avoid discharge in to drains and water courses.

6.3 Methods and material for containment and cleaning up

Spill clean up methods Stop leak if possible without risk. Wear necessary protective equipment. Absorb spillage with

> non-combustible, absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled

container. Wash thoroughly after dealing with a spillage.

6.4 Reference to other sections

Reference to other sections See section 1 for emergency contact. For personal protection, see section 8. For waste

disposal, see section 13.

Section 7: Handling and storage

7.1 Precautions for safe handling

Handling Read and follow manufacturer's recommendations. Observe occupational exposure limits and

> minimise the risk of inhalation of vapours and mist. Do not eat, drink or smoke when using the product. Avoid spilling, skin and eye contact. Ensure adequate ventilation. Use proper

personal protection when handling (refer to Section 8).

7.2 Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly closed original container in a cool, dry and well-ventilated place. Keep

upright, locked up and out of reach of children.

Storage class Unspecified storage.

7.3 Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1. Usage description Use only according to directions. Replace and tighten cap after use.

Section 8: Exposure controls/Personal protection

8.1 Control parameters

Component	STD	TWA (8 Hrs)		STEL (15mins)		Notes
Limestone	OEL		4 mg/m ³			
titanium dioxide	OEL		10 mg/m ³			
Talc (Mg3H2(SiO3)4)	OEL		10 mg/m ³			
zinc oxide	OEL		2 (R) mg/m ³		10 mg/m ³	
diuron (ISO) 3-(3,4-dichlorophenyl),1-dimethylurea	OEL		10 mg/m ³			
Quartz (SiO2)	OEL		0.1 mg/m^3			
2,2'-oxydiethanol	OEL	23 ppm	100 mg/m ³			

Ingredient comments Ireland, Occupational Exposure Limits 2018.

8.2 Exposure Controls

Protective equipment

Engineering measures Observe occupational exposure limits and minimize the risk of inhalation of dust.

Respiratory equipment No specific recommendation made, but respiratory protection must be used if the general

level exceeds the recommended occupational exposure limit.

Hand protection Use suitable protective gloves if there is a risk of skin contact. Consult manufacturer for

specific advice.

Eye protection Use equipment for eye protection tested and approved under appropriate government

standards such as EN 166(EU).

Other protection Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Wash hands and / or face before breaks and at the end of the shift. Do not eat, drink, or

smoke while using this product. Avoid contact with skin, eyes and clothing.

Process conditionsUse only according to directions. Ensure that eye flushing systems and safety showers are

located close by in the work place.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

AppearanceViscous liquid.ColourWhite opaque.

Odour Faint.

Odour threshold - lower No information available.

Odour threshold - upper No information available.

pH-Value, Conc. Solution 7.5 - 9.0

pH-Value, Diluted solution No information available.

Melting point May start to solidify at the temperatures below 2°C. This is based on data for the following

ingredient: water.

Initial boiling point and boiling

range

42 °C

Flash point Closed cup: Not applicable. (Product does not sustain combustion.)

Evaporation rate No information available.

Flammability state No information available.

Flammability limit - lower(%) No information available.

Flammability limit - upper(%) Upper: 0%

Vapour pressure Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa

(23.4 mm Hg) (at 20°C)

Vapour density (air=1) Vapour density Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2, 4-

trimethylpentane-1,3-diol).

Relative density $1.45 g/cm^3 @ 20.00 °C$

Bulk density No information available.

Solubility Partially soluble in cold water.

Decomposition temperature Stable under normal handling and storage conditions

Partition coefficient; n-

Octanol/Water

No information available.

Auto ignition temperature (°C)No information available.

Viscosity Kinematic (40°C): >0.21 cm2/s

Explosive properties Not classified as explosive.

Oxidising properties No information available.

9.2 Other information

Molecular weight No information available.

Volatile organic compound 10g/l

Other information None noted.

Section 10: Stability and reactivity

10.1 Reactivity

Reactivity No specific reactivity hazards associated with this product.

10.2 Chemical stability

Stability Stable under normal temperature conditions and recommended use.

10.3 Possibility of hazardous reactions

Hazardous reactions For information on hazardous reactions see section 10.1.

Hazardous polymerisationUnknown.Polymerisation descriptionUnknown.

10.4 Conditions to Avoid

Conditions to avoidNo specific conditions to avoid are noted.

10.5 Incompatible materials

Materials to avoid Do not mix with other chemicals unless listed on directions. No specific materials to avoid

are noted.

10.6 Hazardous decomposition products

Hazardous decomposition products No hazardous decomposition products.

Section 11: Toxicological information

11.1 Information on toxicological effects

Toxicological information No toxicological information for the overall finished product.

No information available.

Acute toxicity (Oral LD50) Crystalline silica (Quartz) 500 mg/kg Rat. oxydipropyl dibenzoate 9800 mg/kg Rat.

TITANIUM DIOXIDE > 5000 mg/kg Rat.

Acute toxicity (Dermal LD50) oxydipropyl dibenzoate > 2000 mg/kg Rat.

Acute toxicity (Inhalation LD50) oxydipropyl dibenzoate > 200 mg/l (vapours). TITANIUM DIOXIDE 6.82 mg/l (vapours) 4

hours.

Serious eye damage/irritation No information available.

Skin corrosion/irritationNo information available.

Respiratory sensitisation

Skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Specific target organ toxicity - Single exposure:

STOT - Single exposure No information available.

Specific target organ toxicity - Repeated exposure:

STOT - Repeated exposure No information available.

InhalationNo specific symptoms noted.IngestionNo specific symptoms noted.Skin contactNo specific symptoms noted.Eye contactNo specific symptoms noted.

Waste management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

Routes of entry No information available.

Target organs No target organs specified.

Aspiration hazards: No information available. **Reproductive toxicity:** No information available.

Section 12: Ecological information

12.1 Toxicity

Acute toxicity - Fish DIURON (ISO) LC50 96 hours 14.7 mg/l Onchorhynchus mykiss (Rainbow trout). oxydipropyl

dibenzoate LC50 96 hours 3.7 mg/l. ZINC OXIDE LC50 96 hours 0.14 mg/l Onchorhynchus

mykiss (Rainbow trout).

Acute toxicity - Aquatic invertebrates DIURON (ISO) EC50 48 hours 1.4 mg/l Daphnia magna. oxydipropyl dibenzoate EC50 48

hours 19.3 mg/l Daphnia magna. ZINC OXIDE EC50 48 hours 0.17 mg/l Daphnia magna.

Acute toxicity - Aquatic plants DIURON (ISO) EC50 72 hours 0.022 mg/l Scenedesmus subspicatus. oxydipropyl dibenzoate

IC50 72 hours 1.1 mg/l. ZINC OXIDE IC50 96 hours 0.14 mg/l Selenastrum capricornutum.

Acute toxicity - Microorganisms
Chronic toxicity - Fish
Chronic toxicity - Aquatic
No information available.
No information available.

invertebrates

Chronic toxicity - Aquatic plants No information available. **Chronic toxicity - Microorganisms** No information available.

Ecotoxicity The product is not classified as environmentally hazardous.

Eco toxilogical information Not classified as dangerous for the environment according to the criteria of Regulation (EC)

No 1272/2008.

12.2 Persistence and degradability

DegradabilityNo information available.Biological oxygen demandNo information available.Chemical oxygen demandNo information available.

12.3 Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Bioaccumulation factor
Partition coefficient; nNo information available.
No information available.

Octanol/Water

12.4 Mobility in soil

Mobility No information available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment The product does not contain any PBT or vPvB Substances.

12.6 Other adverse effects

Other adverse effects None known.

Section 13: Disposal considerations

Waste management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

13.1 Waste treatment methods

Disposal methods Dispose of waste and residues in accordance with local authority requirements, and in

accordance with all local, national and international regulations. For waste disposal, use a

licensed industrial waste disposal agent.

Section 14: Transport information

14.1 UN number

UN no. (ADR)
UN no. (IMDG)
UN no. (IATA)
Not applicable.
Not applicable.

14.2 UN proper shipping name

ADR proper shipping name
IMDG proper shipping name
Not applicable.
IATA proper shipping name
Not applicable.

14.3 Transport hazard class(es)

ADR class Not applicable.

IMDG class Not applicable.

IATA class Not applicable.

Transport labels Not applicable

14.4 Packing group

ADR/RID/ADN packing group

IMDG packing group

IATA packing group

Not applicable.

Not applicable.

14.5 Environmental hazards

ADR No IMDG No IATA No

14.6 Special precautions for user

EMS Not applicable.
Emergency action code Not applicable.
Hazard no. (ADR) Not applicable.
Tunnel restriction code Not applicable.

14.7 Transport in bulk according to annex II of MARPOL73/78 and the IBC code

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 453/2010 of 20th

May 2010 amending regulation (EC) No 1907/2006.

Approved code of practice 2018 Code of Practice for the Chemical Agents Regulations in accordance with section 60 of

the Safety, Health and Welfare at Work Act 2005 (No. 10 of 2005).

Chemical safety assessment No chemical safety assessment has been carried out.

Section 16: Other information

General information This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010.

Revision commentsThis is a second issue.Revision date11 September 2018Supersedes date31 October 2017

Revision 2

Safety data sheet status Approved.

Hazard statements in full

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

H302Harmful if swallowed.H351Suspected of causing cancer .

H373 May cause damage to organs through prolonged or repeated exposure .

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.