ProductWindow Sill PaintRevision date17 April 2020Revision1

# - for COLOURFUL LIVES -

# Safety Data Sheet (SDS)

according to Regulation (EC) No. 1907/2006

	according to hogalation (20) 100 1007,2000
Section 1: Identification of the subst	ance/preparation and of the company/undertaking
<b>1.1 Product identifier</b>	
Product name	Window Sill Paint
Synonyms, Trade names	No information available.
1.2 Relevant identified uses of the su	bstance or mixture and uses advised against
Identified uses	Paint or paint related material.
Uses advised against	No uses advised against are identified.
<b>1.3 Details of the supplier of the safe</b>	ty data sheet
Supplier	FSW Coatings Ltd
	Virginia
	Co Cavan
	Ireland
	Tel: 353 49854 7209
Contact person	info@fsw.ie
<b>1.4 Emergency telephone number</b>	
Emergency telephone	+ 353 49854 7209 (Between 0900 and 1700 hrs Monday-Friday)

## Section 2: Hazards identification

# **2.1 Classification of the substance or mixture**

<b>Classification (EC 1272/2008)</b> Physical and chemical hazards Human health Environment	Not classified Not classified Not classified
2.2 Label elements	
Contains	Not applicable
Label in accordance with (EC) no. 1272/2008	No pictogram required
Signal word	No Signal Word
Hazard statements	No hazard statements required
Precautionary statements	No precautionary statements required
2.3 Other hazarde	

### 2.3 Other hazards

None known.

### Section 3: Composition/identification of ingredients

### 3.1 Substance

Not applicable.

# 3.2 Mixtures

Name	Product identifier	Reg. EU 1272/2008	%
titanium dioxide	CAS-No.: 13463-67-7 EC No.: 236-675-5		20-25%
propane-1,2-diol	CAS-No.: 57-55-6 EC No.: 200-338-0 REACH Reg No.: 01-2119456809-23-0000		1-5%
2-(2-butoxyethoxy)ethanol	CAS-No.: 112-34-5 EC No.: 203-961-6 REACH Reg No.: 01-2119475104-44-XXXX	Eye Irrit.2A - H319	0.1-0.9%
2-aminoethanol ethanolamine > 5%	CAS-No.: 141-43-5 EC No.: 205-483-3	Acute Tox 4 - H302, Acute Tox 4 - H312, Acute Tox 4 - H332, Skin Corr. 1B - H314, STOT SE 3 - H335	0.1-0.9%
2,2',2''-nitrilotriethanol	CAS-No.: 102-71-6 EC No.: 203-049-8 REACH Reg No.: 01-2119486482-31-XXXX		0.1-0.9%
ammonia 0.1018%	CAS-No.: 1336-21-6 EC No.: 215-647-6	Skin Corr. 1B - H314, Aquatic Acute 1 - H400	0.1-0.9%
diuron (ISO) 3-(3,4-dichlorophenyl) ,1-dimethylurea	CAS-No.: 330-54-1 EC No.: 206-354-4	Acute Tox 4 - H302, Carc. 2 - H351, STOT RE 2 - H373, Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	<0.1%
zinc oxide	CAS-No.: 1314-13-2 EC No.: 215-222-5 REACH Reg No.: 01-2119463881-32-0000	Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	<0.1%
2,2'-iminodiethylamine	CAS-No.: 111-40-0 EC No.: 203-865-4 REACH Reg No.: 01-2119473793-27	Acute Tox 4 - H302, Acute Tox 4 - H312, Acute Tox 2 - H330, Skin Corr. 1B - H314, Skin. Sens 1 - H317, STOT SE 3 - H335	<0.1%
formaldehyde 0.0005%	CAS-No.: 50-00-0 EC No.: 200-001-8	Acute Tox 3 - H301, Acute Tox 2 - H310, Skin Corr. 1B - H314, Skin. Sens 1 - H317, Acute Tox 3 - H331, Muta. 2- H341, Carc. 1B - H350	<0.001%

The full text for all hazard statements are displayed in section 16.

### **Composition comments**

The data shown are in accordance with the latest EC Directives.

# Section 4: First aid measures

### **4.1 Description of first aid measures**

General information	Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if symptoms persist, always call a doctor.
Inhalation	Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort or breathing difficulties develop.
Ingestion	Rinse mouth out and then drink plenty of water. Seek medical attention.
Skin contact	Remove affected person from source of contamination. Wash exposed area with soap and water. Get medical attention if irritation develops or persists.
Eye contact	Remove contact lenses if present and easy to do so. Hold eye lids open. Rinse with a gentle stream water for at least 15 minutes. Seek medical attention.

# 4.2 Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms noted.
Ingestion	No specific symptoms noted.
Skin contact	No specific symptoms noted.
Eye contact	No specific symptoms noted.

### **<u>4.3 Indication of any immediate medical attention and special treatment needed</u>**

Treat symptomatically.

	Revision Date: 17 April 2020 - Revision: 1
Section 5: Fire-fighting measures	
5.1 Extinguishing media	
Extinguishing media	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials. Water spray, foam, dry powder or carbon dioxide.
Unsuitable extinguishing media	High volume water jet.
5.2 Special hazards arising from the su	bstance or mixture
Hazardous combustion products Unusual fire & explosion hazards Specific hazards	None Known. No unusual fire or explosion hazards noted. None noted.
5.3 Advice for firefighters	
Special fire fighting procedures Protective equipment for firefighte	Avoid breathing fire vapours. Keep up-wind to avoid fumes. Fight advanced or massive fires from safe distance or protected location. Ventilate closed spaces before entering them. Containers close to fire should be removed immediately or cooled with water if safe to do so. <b>rs</b> Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard
Section 6: Accidental release measures	EN 469 will provide a basic level of protection for chemical incidents.
6.1 Personal precautions, protective eq	
Personal precautions For emergency responders	Wear protective clothing as described in Section 8 of this safety data sheet. Follow safe handling advice and personal protective equipment recommendations for normal use of product.
6.2 Environmental precautions	
<b>Environmental precautions</b>	Avoid discharge in to drains and water courses.
6.3 Methods and material for containm	ent and cleaning up
Spill clean up methods	Stop leak if possible without risk. Wear necessary protective equipment. Absorb spillage with non-combustible, absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Wash thoroughly after dealing with a spillage.
6.4 Reference to other sections	
Reference to other sections	See section 1 for emergency contact. For personal protection, see section 8. For waste disposal, see section 13.
Section 7: Handling and storage	
7.1 Precautions for safe handling	
Handling	Read and follow manufacturer's recommendations. Observe occupational exposure limits and minimise the risk of inhalation of vapours and mist. Do not eat, drink or smoke when using the product. Avoid spilling, skin and eye contact. Ensure adequate ventilation. Use proper personal protection when handling (refer to Section 8).

# 7.2 Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly closed original container in a cool, dry and well-ventilated place. Keep upright, locked up and out of reach of children.	
Storage class	Unspecified storage.	
7.3 Specific end use(s)		
Specific end use(s) Usage description	The identified uses for this product are detailed in Section 1. Use only according to directions. Replace and tighten cap after use.	

# Section 8: Exposure controls/Personal protection

### **8.1 Control parameters**

Component	STD	TWA	(8 Hrs)	STEL (	15mins)	Notes
titanium dioxide	OEL		10 mg/m <sup>3</sup>			
titanium dioxide	OEL		4 mg/m <sup>3</sup>			
titanium dioxide	WEL		10 inhalable aerosol mg/m <sup>3</sup>			
titanium dioxide	WEL		4 respirable aerosol mg/m <sup>3</sup>			
propane-1,2-diol	OEL	150 ppm	470 mg/m <sup>3</sup>			
propane-1,2-diol	OEL		10 mg/m <sup>3</sup>			
propane-1,2-diol	WEL		10 mg/m <sup>3</sup>			
propane-1,2-diol	WEL	150 ppm	474 mg/m <sup>3</sup>			
2-(2-butoxyethoxy)ethanol	WEL	10 ppm	67,5 mg/m <sup>3</sup>	15 ppm	101,2 mg/m <sup>3</sup>	
2-(2-butoxyethoxy)ethanol	OEL	10 ppm	67.5 mg/m <sup>3</sup>	12 ppm	101.2 mg/m <sup>3</sup>	IOELV
2-aminoethanol ethanolamine > 5%	OEL	1 ppm	2.5 mg/m <sup>3</sup>	3 ppm	7.6 mg/m <sup>3</sup>	Sk, IOELV
2-aminoethanol ethanolamine > 5%	WEL	1 ppm	2,5 mg/m <sup>3</sup>	3 ppm	7,6 mg/m <sup>3</sup>	Sk
2,2',2''-nitrilotriethanol	OEL		5 mg/m <sup>3</sup>			
diuron (ISO) 3-(3,4-dichlorophenyl) ,1-dimethylurea	OEL		10 mg/m <sup>3</sup>			
diuron (ISO) 3-(3,4-dichlorophenyl) ,1-dimethylurea	WEL		10 mg/m <sup>3</sup>			
zinc oxide	OEL		2 (R) mg/m <sup>3</sup>		10 mg/m <sup>3</sup>	
2,2'-iminodiethylamine	OEL	1 ppm	4 mg/m <sup>3</sup>			Sk
2,2'-iminodiethylamine	WEL	1 ppm	4,3 mg/m <sup>3</sup>			Sk
formaldehyde 0.0005%	OEL	0.2 ppm		0.4 ppm		BOELV, Carc 1B, Sens, Limit value 0.5ppm/0.62mg/m3 for the healthcare, funeral and embalming sectors until 11 July 202420.
formaldehyde 0.0005%	WEL	2 ppm	2,5 mg/m <sup>3</sup>	2 ppm	2,5 mg/m <sup>3</sup>	Carc

**Ingredient comments** 

Ireland, Occupational Exposure Limits 2020. Workplace Exposure Limits Guidance Note EH40/2005.

### **8.2 Exposure Controls**

**Protective equipment** 



**Engineering measures** 

**Respiratory equipment** 

Hand protection

**Eye protection** 

Other protection Hygiene measures

**Process conditions** 

Observe occupational exposure limits and minimize the risk of inhalation of dust. Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit.

Use suitable protective gloves if there is a risk of skin contact. Consult manufacturer for specific advice. Suggested material: Nitrile rubber gloves. Layer thickness: 0.11mm. Breakthrough time: >480 min.

Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).

Wear appropriate clothing to prevent any possibility of skin contact.

Wash hands and / or face before breaks and at the end of the shift. Do not eat, drink, or smoke while using this product. Avoid contact with skin, eyes and clothing.

Use only according to directions. Ensure that eye flushing systems and safety showers are located close by in the work place.

# Section 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

	Appearance Colour Odour	Viscous liquid. White Faint odour.
	Odour threshold - lower	No information available as testing has not been completed on the finished product.
	Odour threshold - upper	No information available as testing has not been completed on the finished product.
	pH-Value, Conc. Solution	>8.1
	pH-Value, Diluted solution	No information available as testing has not been completed on the finished product.
	Melting point	May start to solidify at the temperatures below 2°C.This is based on data for the following ingredient: water
	Initial boiling point and boiling range	>42°C
	Flash point	Not applicable.
	Evaporation rate	Not applicable.
	Flammability state	Non flammable
	Flammability limit - lower(%)	No information available as testing has not been completed on the finished product.
	Flammability limit - upper(%)	Upper: 0%
	Vapour pressure	Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C)
	Vapour density (air=1)	Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2, 4-trimethylpentan- $1$ ,3-diol).
	Relative density	1.3
	Bulk density	Not applicable as the product is a liquid.
	Solubility	Partially soluble in cold water.
	Decomposition temperature	Stable under normal handling and storage conditions
	Partition coefficient; n- Octanol/Water	No information available as testing has not been completed on the finished product.
	Auto ignition temperature (°C)	Not applicable.
	Viscosity	Kinematic (40°C): >0.21 cm <sup>2</sup> /s
	Explosive properties	Not classified as explosive.
	Oxidising properties	The product does not meet the criteria to be classified as oxidising.
<u>9.2</u>	Other information	
	Molecular weight	Not applicable as the product is a mixture.
	Volatile organic compound	50.00 g/litre
	Other information	Volume solids: 37.0% +/- 1.0%.
		Weight Solids: 53.0% +/- 1.0%.

# Section 10: Stability and reactivity

	•
10.1 Reactivity	
Reactivity	No specific reactivity hazards associated with this product.
10.2 Chemical stability	
Stability	Stable under normal temperature conditions and recommended use.
<b>10.3 Possibility of hazardous reactions</b>	
Hazardous reactions Hazardous polymerisation Polymerisation description	For information on hazardous reactions see section 10.1. Unknown. Unknown.
<b>10.4 Conditions to Avoid</b>	
Conditions to avoid	No specific conditions to avoid are noted.
10.5 Incompatible materials	
Materials to avoid	Do not mix with other chemicals unless listed on directions. Strong oxidising substances.
10.6 Hazardous decomposition products	5
Hazardous decomposition products	When heated, vapours/gases hazardous to health may be formed.

# Section 11: Toxicological information

# **<u>11.1 Information on toxicological effects</u>**

Toxicological information	No toxicological information for the overall finished product.
Acute toxicity (Oral LD50) Acute toxicity (Dermal LD50) Acute toxicity (Inhalation LD50)	No information available as testing has not been completed on the finished product. No information available as testing has not been completed on the finished product. No information available as testing has not been completed on the finished product.
Serious eye damage/irritation	Product is not classified as an eye irritant.
Skin corrosion/irritation	The product is not classified as a skin corrosion/irritation hazard.
Respiratory sensitisation Skin sensitisation	The product is not classified as a respiratory hazard. The product is not classified as a skin sensitisation hazard.
Germ cell mutagenicity	The product is not classified as a mutagen.
Carcinogenicity	The product is not classified as a carcinogen hazard.
Specific target organ toxicity - Sing	le exposure:
STOT - Single exposure	The product is not classified as a single exposure specific target organ toxin.
Specific target organ toxicity - Rep	eated exposure:
STOT - Repeated exposure	The product is not classified as a repeat exposure specific target organ toxin.
Inhalation	No specific symptoms noted.
Ingestion	No specific symptoms noted.
Skin contact	No specific symptoms noted.
Eve contact	No specific symptoms noted.
Waste management	
it us to management	When handling waste, consideration should be made to the safety precautions applying to
	When handling waste, consideration should be made to the safety precautions applying to handling of the product.
Routes of entry	handling of the product.
Routes of entry	handling of the product. Eyes, skin, ingestion or inhalation.
Routes of entry Target organs	handling of the product.
Target organs	handling of the product. Eyes, skin, ingestion or inhalation. No target organs specified.
-	handling of the product. Eyes, skin, ingestion or inhalation.

Name	LD50 oral	LD50 dermal	LD50 inhalation
propane-1,2-diol	22000.00mg/kg Rat	>2000.00mg/kg Rabbit	
2-(2-butoxyethoxy)ethanol	>2000.00mg/kg Rat 3305.00mg/kg Rat	>2000.00mg/kg Rabbit 2764.00mg/kg Rabbit	
formaldehyde 0.0005%	>200.00mg/kg Rat		

# Section 12: Ecological information

12.1 Toxicity	
Acute toxicity - Aquatic plants Acute toxicity - Microorganisms Chronic toxicity - Fish Chronic toxicity - Aquatic	No information available as testing has not been completed on the finished product. <b>s</b> No information available as testing has not been completed on the finished product. No information available as testing has not been completed on the finished product. No information available as testing has not been completed on the finished product. No information available as testing has not been completed on the finished product. No information available as testing has not been completed on the finished product. No information available as testing has not been completed on the finished product. No information available as testing has not been completed on the finished product.
invertebrates Chronic toxicity - Aquatic plants Chronic toxicity - Microorganisms Ecotoxicity Eco toxilogical information	No information available as testing has not been completed on the finished product. No information available as testing has not been completed on the finished product. The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008.
<b>12.2 Persistence and degradability</b>	
Degradability Biological oxygen demand Chemical oxygen demand	The degradability of the product has not been stated. No information available as testing has not been completed on the finished product. No information available as testing has not been completed on the finished product.
12.3 Bioaccumulative potential	
Bioaccumulative potential Bioaccumulation factor Partition coefficient; n- Octanol/Water	No data available on bioaccumulation. No information available as testing has not been completed on the finished product. No information available as testing has not been completed on the finished product.
<b>12.4 Mobility in soil</b>	
Mobility	Partially soluble in cold water.

# **12.5 Results of PBT and vPvB assessment**

Results of PBT and vPvB assessment The product does not contain any PBT or vPvB Substances.

# **12.6 Other adverse effects**

Other adverse effects

None known.

Name			Acute toxicity (Aquatic plants)
propane-1,2-diol	LC50 96 Hours 40613.00mg/l Onchorhynchus mykiss (Rainbow Trout)		
2-(2-butoxyethoxy)ethanol	LC50 96 Hours 1300.00mg/l Lepomis macrochirus (Bluegill)	EC50 48 Hours >100.00mg/l Daphnia magnaEC50 48 Hours >100.00mg/l Daphnia magna	
diuron (ISO) 3-(3,4-dichlorophenyl) ,1-dimethylurea	LC50 96 Hours 14.70mg/l Onchorhynchus mykiss (Rainbow Trout)	EC50 48 Hours 1.40mg/l Daphnia magna	EC50 72 Hours 0.02mg/l Scenedesmus Subspicatus
zinc oxide		EC50 48 Hours 0.17mg/l Daphnia magna	

TA7	TATLES IN THE SECOND STREET, ST
Waste management	When handling waste, consideration should be made to the safety precautions applying to handling of the product.
3.1 Waste treatment methods	
Disposal methods	Dispose of waste and residues in accordance with local authority requirements, and in accordance with all local, national and international regulations. For waste disposal, use a licensed industrial waste disposal agent.
ection 14: Transport information	
4.1 UN number	
UN no. (ADR)	Not applicable.
UN no. (IMDG)	Not applicable.
UN no. (IATA)	Not applicable.
4.2 UN proper shipping name	
ADR proper shipping name	Not applicable.
IMDG proper shipping name IATA proper shipping name	Not applicable. Not applicable.
4.3 Transport hazard class(es)	
ADR class	Not applicable.
IMDG class	Not applicable.
IATA class	Not applicable.
Transport labels	Not applicable
4.4 Packing group	
ADR/RID/ADN packing group	Not applicable.
IMDG packing group	Not applicable.
IATA packing group	Not applicable.
4.5 Environmental hazards	
ADR	No
IMDG IATA	No No
4.6 Special precautions for user	
EMS	Not applicable.
Emergency action code	Not applicable.
Hazard no. (ADR)	Not applicable.
Tunnel restriction code	Not applicable.

# 14.7 Transport in bulk according to annex II of MARPOL73/78 and the IBC code

Not applicable.

# Section 15: Regulatory information

15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture		
EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 453/2010 of 20th May 2010 amending regulation (EC) No 1907/2006.	
Approved code of practice	2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001-2019) Workplace Exposure Limits Guidance Note EH40/2005.	

No chemical safety assessment has been carried out.

### **Section 16: Other information**

General information Revision comments Revision date	This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010. This is a first issue. 17 April 2020	
Revision	1	
Safety data sheet status	Approved.	
Hazard statements in full		
H319	Causes serious eye irritation.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
H317	May cause an allergic skin reaction.	
H410	Very toxic to aquatic life with long lasting effects.	
H351	Suspected of causing cancer .	
H373	May cause damage to organs through prolonged or repeated exposure .	
H311	Toxic in contact with skin.	
H331	Toxic if inhaled.	
H301	Toxic if swallowed.	
H318	Causes serious eye damage.	
H310	Fatal in contact with skin.	
Н330	Fatal if inhaled.	
H341	Suspected of causing genetic defects .	
H350	May cause cancer .	

### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.