**Product** Fleetwood Polyurethane Matt Varnish

**Revision date** 07 March 2019

Revision 1



# **Safety Data Sheet (SDS)**

## Section 1: Identification of the substance/preparation and of the company/undertaking

#### 1.1 Product identifier

Product name Fleetwood Polyurethane Matt Varnish

**Synonyms, Trade names** No information available.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** No specific uses identified.

**Uses advised against**No uses advised against are identified.

## 1.3 Details of the supplier of the safety data sheet

**Supplier** FSW Coatings Ltd.

Virginia Co Cavan Ireland

Tel: 353 49854 7209

Contact person info@fsw.ie

1.4 Emergency telephone number

**Emergency telephone** + 353 49854 7209 (Between 0900 and 1700 hrs Monday-Friday)

## **Section 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and chemical hazards Flam. Liq 3- H226 Human health STOT SE 3 - H336 Environment Not classified

#### 2.2 Label elements

**Contains** Not applicable

Label in accordance with (EC) no. 1272/2008



Signal word Warning

**Hazard statements** H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

Precautionary statements Prevention

P210 Keep away from heat/ sparks/open flames/hot surfaces. — No smoking.

P261 Avoid breathing dust/fume/ gas/mist/vapours/spray. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/eye protection/face protection.

Response

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

#### 2.3 Other hazards

None known.

#### Section 3: Composition/identification of ingredients

#### 3.1 Substance

Not applicable.

#### 3.2 Mixtures

Name	Product identifier	Reg. EU 1272/2008		
isoalkanes, cyclics, < 2% aromatics	CAS-No.: 64742-48-9 EC No.: 919-857-5 REACH Reg No.: 01-2119463258-33-xxxx	STOT SE 3 - H336, Asp. Tox - H304, Flam. Liq 3- H226	10-30%	
,,,,	CAS-No.: EC No.: 919-857-5	Asp. Tox - H304, Flam. Liq 3- H226, STOT SE 3 - H336	10-30%	
J 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CAS-No.: 107-98-2 EC No.: 203-539-1	Flam. Liq 3- H226, STOT SE 3 - H336	1-10%	
17-othylhovanoic acid zirconiiim salt	CAS-No.: 22464-99-9 EC No.: 245-018-1	Repr. 2 - H361d	0-1%	
2-butanone oxime ethyl methyl ketoxime ethyl methyl ketone oxime		Acute Tox 4 - H312, Skin. Sens 1 - H317, Eye Dam. 1 - H318, Carc. 2 - H351		
nonane		Aquatic Chronic 1 - H410, Skin Irrit.2 - H315, Asp. Tox - H304, Flam. Liq 3- H226, STOT SE 3 - H336		

The full text for all hazard statements are displayed in section 16.

**Composition comments** The data shown are in accordance with the latest EC Directives.

#### Section 4: First aid measures

# 4.1 Description of first aid measures

**General information** General first aid, rest, warmth and fresh air.

**Inhalation** Remove the affected person to fresh air, obtain medical attention if symptoms persist.

**Ingestion** Rinse mouth thoroughly. Get medical attention immediately.

**Skin contact** Remove affected person from source of contamination Remove contaminated clothes and

rinse skin thoroughly with water. Wash skin with soap and water Get medical attention if

symptoms persist.

Eye contact Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes

with plenty of water while lifting the eye lids. Rinse with a gentle stream water for at least

15 minutes. Get prompt medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

**General information** The severity of the symptoms described will vary dependant of the concentration and the

length of exposure.

**Inhalation** Inhalation of mist or vapor may cause respiratory tract irritation.

IngestionNo specific symptoms noted.Skin contactNo specific symptoms noted.Eye contactNo specific symptoms noted.

## 4.3 Indication of any immediate medical attention and special treatment needed

# **Section 5: Fire-fighting measures**

## 5.1 Extinguishing media

**Extinguishing media**Use extinguishing measures that are appropriate to local circumstances and the surrounding

environment. Use dry chemical, CO2, water spray (fog) or foam.

Unsuitable extinguishing media

None noted.

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products Unusual fire & explosion hazards

Specific hazards

When heated, toxic and corrosive vapours/gases may be formed

No unusual fire or explosion hazards noted. If heated, harmful vapours may be formed.

#### 5.3 Advice for firefighters

**Special fire fighting procedures** Avoid breathing fire vapours. Keep up-wind to avoid fumes. Fight advanced or massive fires

from safe distance or protected location. Do not scatter spilled material with more water

than needed to fight the fire Do not get water inside container

**Protective equipment for firefighters** Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard

EN 469 will provide a basic level of protection for chemical incidents.

#### **Section 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet. Do not smoke,

use open fire or other sources of ignition. Make safe all sources of ignition. Avoid contact

with skin and eyes.

For emergency responders Follow safe handling advice and personal protective equipment recommendations for normal

use of product.

#### **6.2 Environmental precautions**

**Environmental precautions** Do not discharge into drains, water courses or onto the ground. Spillages or uncontrolled

discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency

or other appropriate regulatory body.

# 6.3 Methods and material for containment and cleaning up

**Spill clean up methods** Stop leak if possible without risk. Wear necessary protective equipment. Absorb spillage with

non-combustible, absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled

container. Wash thoroughly after dealing with a spillage.

# **6.4 Reference to other sections**

Reference to other sections See section 1 for emergency contact. For personal protection, see section 8 For waste

disposal, see section 13.

# **Section 7: Handling and storage**

#### 7.1 Precautions for safe handling

**Handling** Read and follow manufacturer's recommendations. Do not handle broken packages without

protective equipment. Avoid spilling, skin and eye contact. Do not use contact lenses. Keep away from heat, sparks and open flame. Eliminate all sources of ignition. Observe occupational exposure limits and minimise the risk of inhalation of vapours and mist. Ensure

adequate ventilation. Vapours are heavier than air and may spread along floors. Do not eat,

drink or smoke when using the product.

# ${\bf 7.2\ Conditions\ for\ safe\ storage,\ including\ any\ incompatibilities}$

Storage precautions Store in tightly closed original container in a dry, cool and well-ventilated place. Keep

upright. Keep locked up and out of reach of children. Avoid storing for very long periods.

Keep container tightly sealed when not in use.

Storage class No information available.

## 7.3 Specific end use(s)

Specific end use(s)The identified uses for this product are detailed in Section 1.Usage descriptionUse only according to directions. Replace and tighten cap after use.

# Section 8: Exposure controls/Personal protection

#### **8.1 Control parameters**

Component	STD	TWA (8 Hrs)		STEL (15mins)		Notes
1-methoxy-2-propanol monopropylene glycol methyl ether	OEL	100 ppm	375 mg/m <sup>3</sup>	150 ppm	568 mg/m <sup>3</sup>	
2-butanone oxime ethyl methyl ketoxime ethyl methyl ketone oxime	OEL	3 ppm	10 mg/m <sup>3</sup>	10 ppm	33 mg/m <sup>3</sup>	
nonane	OEL	200 ppm	1050 mg/m <sup>3</sup>			

**Ingredient comments** Ireland, Occupational Exposure Limits 2018.

#### **8.2 Exposure Controls**

**Protective equipment** 

**Engineering measures** Provide adequate ventilation, including appropriate local extraction, to ensure that the

defined occupational exposure limit is not exceeded.

**Respiratory equipment** Use respiratory protection as specified by an industrial hygienist or other qualified

professional. Use type ABEK (EN 14387) respirator cartridges as a backup to engineering

controls.

**Hand protection** Use suitable protective gloves if there is a risk of skin contact.

**Eye protection** Wear safety goggles or face shield to prevent any possibility of eye contact. Use equipment

for eye protection tested and approved under appropriate government standards such as EN

166(EU).

Other protectionWear suitable protective clothing as protection against splashing or contamination.Hygiene measuresDO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before

eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or

smoke.

**Process conditions** Keep container tightly sealed when not in use. Provide eyewash station. Use only according

to directions.

### Section 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

AppearanceViscous liquid.ColourClear.

**Odour** Hydrocarbon, (slight).

Odour threshold - lower No information available.

**Odour threshold - upper** No information available.

**pH-Value, Conc. Solution**No information available.

pH-Value, Diluted solution No information available.

**Melting point** May start to solidify at the following temperature: -15°C This is based on data for the

following ingredient: Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, < 2%

aromatics. Weighted average: -58.56°C

Initial boiling point and boiling

range

>142°C

Flash point 40.00 °C

**Evaporation rate** No information available.

Flammability state No information available.

Flammability limit - lower(%) No information available.

Flammability limit - upper(%) No information available.

Vapour pressure No information available.

Vapour density (air=1) No information available.

**Relative density** 0.94 +/- 0.06

Bulk density No information available.

**Solubility** Insoluble in cold water

**Decomposition temperature** No information available.

Partition coefficient; n-

Octanol/Water

No information available.

Auto ignition temperature (°C) Lowest known value: >230°C (Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2%

aromatics).

**Viscosity** Kinematic (40°C): >0.27 cm2/s

**Explosive properties** Not classified as explosive.

Oxidising properties No information available.

9.2 Other information

Molecular weight No information available.

**Volatile organic compound** 396.00 g/litre

#### Section 10: Stability and reactivity

10.1 Reactivity

**Reactivity** No specific reactivity hazards associated with this product.

10.2 Chemical stability

Stability Stable under normal temperature conditions and recommended use.

10.3 Possibility of hazardous reactions

**Hazardous reactions** For information on hazardous reaction see section 10.1.

Hazardous polymerisationUnknown.Polymerisation descriptionUnknown.

10.4 Conditions to Avoid

Conditions to avoid None known.

10.5 Incompatible materials

Materials to avoid None noted.

10.6 Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

vapours.

# **Section 11: Toxicological information**

#### 11.1 Information on toxicological effects

**Toxicological information** No information available.

Acute toxicity (Oral LD50)

Acute toxicity (Dermal LD50)

Acute toxicity (Inhalation LD50)

No information available.

No information available.

**Serious eve damage/irritation** No information available.

**Skin corrosion/irritation**No information available.

Respiratory sensitisationNo information available.Skin sensitisationNo information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

Specific target organ toxicity - Single exposure:

**STOT - Single exposure** No information available.

Specific target organ toxicity - Repeated exposure:

**STOT - Repeated exposure** No information available.

**Inhalation** Inhalation of mist or vapor may cause respiratory tract irritation.

IngestionNo specific symptoms noted.Skin contactNo specific symptoms noted.Eye contactNo specific symptoms noted.

**Waste management** When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

**Routes of entry** No information available. **Target organs** No target organs specified.

**Aspiration hazards:** No information available. **Reproductive toxicity:** No information available.

#### **Section 12: Ecological information**

#### 12.1 Toxicity

Acute toxicity - FishNo information available.Acute toxicity - Aquatic invertebratesNo information available.Acute toxicity - Aquatic plantsNo information available.Acute toxicity - MicroorganismsNo information available.Chronic toxicity - FishNo information available.Chronic toxicity - AquaticNo information available.

invertebrates

Chronic toxicity - Aquatic plants
Chronic toxicity - Microorganisms
No information available.
No information available.

**Ecotoxicity** No Ecological information on the finished product.

**Eco toxilogical information** No ecological toxicity available on the overall finished product.

# 12.2 Persistence and degradability

**Degradability** The degradability of the product has not been stated.

**Biological oxygen demand**No information available. **Chemical oxygen demand**No information available.

# 12.3 Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Bioaccumulation factor No information available.
Partition coefficient; nOctanol/Water No information available.

12.4 Mobility in soil

**Mobility** No information available.

### 12.5 Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** The product does not contain any PBT or vPvB Substances.

#### 12.6 Other adverse effects

Other adverse effects None known.

#### **Section 13: Disposal considerations**

Waste management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

#### 13.1 Waste treatment methods

**Disposal methods** Dispose of waste and residues in accordance with local authority requirements, and in

accordance with all local, national and international regulations.

#### **Section 14: Transport information**

# 14.1 UN number

 UN no. (ADR)
 UN1263

 UN no. (IMDG)
 UN1263

 UN no. (IATA)
 UN1263

### 14.2 UN proper shipping name

ADR proper shipping name
IMDG proper shipping name
PAINT OF PAINT RELATED MATERIAL
PAINT OF PAINT RELATED MATERIAL
PAINT
PAINT

#### 14.3 Transport hazard class(es)

ADR class 3
IMDG class 3
IATA class 3

## **Transport labels**



#### 14.4 Packing group

ADR/RID/ADN packing group III
IMDG packing group III
IATA packing group III

#### 14.5 Environmental hazards

ADR No IMDG No IATA No

# 14.6 Special precautions for user

EMS F-E, S-E
Emergency action code A3 A72 A192
Hazard no. (ADR) 30
Tunnel restriction code (D/E)

# 14.7 Transport in bulk according to annex II of MARPOL73/78 and the IBC code

# **Section 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture

**EU legislation** Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Reach Regulation (EC) No 453/2010. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 453/2010 of 20th May 2010 amending regulation (EC) No 1907/2006.

Approved code of practice

2018 Code of Practice for the Chemical Agents Regulations in accordance with section 60 of

the Safety, Health and Welfare at Work Act 2005 (No. 10 of 2005).

Chemical safety assessment

No chemical safety assessment has been carried out.

#### **Section 16: Other information**

**General information** This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010.

**Revision comments**This is a first issue. **Revision date**07 March 2019

Revision

Safety data sheet status Approved.

# **Hazard statements in full**

EUH066 Repeated exposure may cause skin dryness or cracking.

**H226** Flammable liquid and vapour.

**H304** May be fatal if swallowed and enters airways.

**H336** May cause drowsiness or dizziness.

 ${f H361}$  Suspected of damaging fertility or the unborn child .

H312Harmful in contact with skin.H317May cause an allergic skin reaction.H318Causes serious eye damage.H351Suspected of causing cancer .H335May cause respiratory irritation.

**H411** Toxic to aquatic life with long lasting effects.

**H315** Causes skin irritation.

H360 May damage fertility or the unborn child .H410 Very toxic to aquatic life with long lasting effects.

#### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.