ProductQuick Dry Gloss VarnishRevision date27 March 2019Revision1

- for COLOURFUL LIVES -

Safety Data Sheet (SDS)

Section 1: Identification of the substance/preparation and of the company/undertaking

1.1 Product identifier

Product name	Quick Dry Gloss Varnish
Synonyms, Trade names	No information available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Paint or paint related material.
Uses advised against	No uses advised against are identified.

1.3 Details of the supplier of the safety data sheet

Supplier	FSW Coatings Ltd.
	Virginia
	Co Cavan
	Ireland
	Tel: 353 49854 7209
Contact person	info@fsw.ie
1.4 Emergency telephone number	
Emergency telephone	+ 353 49854 7209 (Between 0900 and 1700 hrs Monday-Friday)

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (EC 1272/2008) Physical and chemical hazards Human health Environment	Not classified Not classified Not classified
2.2 Label elements	
Contains	Not applicable
Label in accordance with (EC) no. 1272/2008	No pictogram required
Signal word	No Signal Word
Hazard statements	No hazard statements required
Precautionary statements	No precautionary statements required
2.3 Other hazards	

None known.

Section 3: Composition/identification of ingredients

3.1 Substance

- Not applicable.
- 3.2 Mixtures

Name	Product identifier	Reg. EU 1272/2008	%
isobutyric acid, monoester with 2,2,4- trimethylpentane-1,3-diol	CAS-No.: 25265-77-4 EC No.: 246-771-9 REACH Reg No.: 01-2119441305-48-0002		1-10%
propane-1,2-diol	CAS-No.: 57-55-6 EC No.: 200-338-0 REACH Reg No.: 01-2119456809-23-XXXX		1-10%
2-butoxyethanol	CAS-No.: 111-76-2 EC No.: 203-905-0 REACH Reg No.: 01-2119475108-36-XXXX	Acute Tox 4 - H302, Acute Tox 4 - H312, Acute Tox 4 - H332, Skin Irrit.2 - H315, Eye Irrit.2A - H319	0-1%
(2-methoxymethylethoxy)propanol	CAS-No.: 34590-94-8 EC No.: 252-104-2 REACH Reg No.: 01-2119450011-60-XXXX		0-1%
2-(2-(2-butoxyethoxy)ethoxy)ethanol	CAS-No.: 143-22-6 EC No.: 205-592-6 REACH Reg No.: 01-2119531322-53	Eye Dam. 1 - H318	0-1%

The full text for all hazard statements are displayed in section 16.

Composition comments

The data shown are in accordance with the latest EC Directives.

Section 4: First aid measures

<u>4.1 Description of first aid measures</u>

General information	General first aid, rest, warmth and fresh air.
Inhalation	If this product is Inhaled, move the exposed person to fresh air promptly. Seek medical
	attention if symptoms persist.
Ingestion	Rinse mouth thoroughly. Get medical attention if symptoms occur.
Skin contact	Seek medical attention if irritation persists. Remove contaminated clothes and rinse skin
	thoroughly with water. Wash skin thoroughly with soap and water.
Eye contact	Make sure to remove any contact lenses from the eyes before rinsing. Remove contact lenses
	if worn. If irritation persists, seek medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

General information	The product is non hazardous.
Inhalation	No specific symptoms noted.
Ingestion	No specific symptoms noted.
Skin contact	No specific symptoms noted.
Eye contact	No specific symptoms noted.

4.3 Indication of any immediate medical attention and special treatment needed

A.5 Inditation of any immediate medical attention and special if eatment needed		
Notes to the physician	Treat symptomatically.	
Section 5: Fire-fighting measures		
5.1 Extinguishing media		
Extinguishing media Unsuitable extinguishing media	This product is not flammable. No unsuitable extinguishing media identified.	
5.2 Special hazards arising from the substance or mixture		
Hazardous combustion products Unusual fire & explosion hazards Specific hazards	None under normal conditions. No unusual fire or explosion hazards noted. None noted.	

5.3 Advice for firefighters

Special fire fighting procedures Avoid breathing fire vapours. Keep up-wind to avoid fumes. Fight advanced or massive fires

from safe distance or protected location. **Protective equipment for firefighters** Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for firefighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

Section 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions Ensure adequate ventilation. Do not smoke, use open fire or other sources of ignition. Use personal protective equipment. Read and follow manufacturer's recommendations. For emergency responders Follow safe handling advice and personal protective equipment recommendations for normal use of product. **6.2 Environmental precautions Environmental precautions** Do not discharge into drains, water courses or onto the ground. 6.3 Methods and material for containment and cleaning up Wash thoroughly after dealing with a spillage. Place into chemical waste container for Spill clean up methods disposal according to local, state or federal regulations. Flush spill area large amounts of with water. **6.4 Reference to other sections** Reference to other sections See section 1 for emergency contact. For personal protection, see section 8. For waste disposal, see section 13. Section 7: Handling and storage 7.1 Precautions for safe handling Handling Provide good ventilation. Wash thoroughly after handling. Eliminate all sources of ignition. Use proper personal protection when handling (refer to Section 8). 7.2 Conditions for safe storage, including any incompatibilities **Storage precautions** Store in cool place. Keep container tightly closed in a dry and well-ventilated place. No information available. Storage class 7.3 Specific end use(s) Specific end use(s) The identified uses for this product are detailed in Section 1. Usage description Use only according to directions.

Section 8: Exposure controls/Personal protection

8.1 Control parameters

Component	STD	TWA (8 Hrs)	STEL (1	l5mins)	Notes
propane-1,2-diol	OEL	150 ppm	470 mg/m ³			
propane-1,2-diol	OEL		10 mg/m ³			
2-butoxyethanol	OEL	20 ppm	98 mg/m ³	50 ppm	246 mg/m ³	
(2-methoxymethylethoxy)propanol	OEL	50 ppm	308 mg/m ³			

Ingredient comments

Ireland, Occupational Exposure Limits 2018.

8.2 Exposure Controls

Protective equipment

Engineering measures

Provide adequate ventilation, including appropriate local extraction, to ensure that the

	defined occupational exposure limit is not exceeded.
Respiratory equipment	No personal respiratory protective equipment normally required.
Hand protection	Use suitable protective gloves if there is a risk of skin contact. Use proper glove removal
_	technique (without touching glove's outer surface) to avoid skin contact with this product.
	Dispose of contaminated gloves after use in accordance with applicable laws and good
	laboratory practices. Change gloves regularly.
Eye protection	Use equipment for eye protection tested and approved under appropriate government
	standards such as EN 166(EU).
Other protection	Protective clothing not required for normal use of the product.
Hygiene measures	Do not eat, drink or smoke during use. Handle in accordance with good industrial hygiene
	and safety practice.
Process conditions	Use only according to directions.

Section 9: Physical and chemical properties

9.1 Information on basic physical and o	chemical properties
Appearance Colour Odour	Viscous liquid. Clear & various colours. Faint.
Odour threshold - lower	No information available.
Odour threshold - upper	No information available.
pH-Value, Conc. Solution	>8.1
pH-Value, Diluted solution	No information available.
Melting point	May start to solidify at the temperatures below 2°C.This is based on data for the following ingredient: water.
Initial boiling point and boiling range	>42°C
Flash point	Closed cup: Not applicable. (Product does not sustain combustion.)
Evaporation rate	No information available.
Flammability state	Non flammable.
Flammability limit - lower(%)	No information available.
Flammability limit - upper(%)	Upper: 0%
Vapour pressure	Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C)
Vapour pressure	(23.4 mm Hg) (at 20°C) Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2, 4-trimethylpentan-
Vapour pressure Vapour density (air=1)	(23.4 mm Hg) (at 20°C) Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2, 4-trimethylpentan- -1,3-diol).
Vapour pressure Vapour density (air=1) Relative density	 (23.4 mm Hg) (at 20°C) Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2, 4-trimethylpentan1,3-diol). 1.02
Vapour pressure Vapour density (air=1) Relative density Bulk density	 (23.4 mm Hg) (at 20°C) Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2, 4-trimethylpentan1,3-diol). 1.02 No information available.
Vapour pressure Vapour density (air=1) Relative density Bulk density Solubility	 (23.4 mm Hg) (at 20°C) Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2, 4-trimethylpentan1,3-diol). 1.02 No information available. Partially soluble in cold water.
Vapour pressure Vapour density (air=1) Relative density Bulk density Solubility Decomposition temperature Partition coefficient; n-	 (23.4 mm Hg) (at 20°C) Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2, 4-trimethylpentan1,3-diol). 1.02 No information available. Partially soluble in cold water. Stable under normal handling and storage conditions.
Vapour pressure Vapour density (air=1) Relative density Bulk density Solubility Decomposition temperature Partition coefficient; n- Octanol/Water	 (23.4 mm Hg) (at 20°C) Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2, 4-trimethylpentan- -1,3-diol). 1.02 No information available. Partially soluble in cold water. Stable under normal handling and storage conditions. No information available.
Vapour pressure Vapour density (air=1) Relative density Bulk density Solubility Decomposition temperature Partition coefficient; n- Octanol/Water Auto ignition temperature (°C)	 (23.4 mm Hg) (at 20°C) Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2, 4-trimethylpentan1,3-diol). 1.02 No information available. Partially soluble in cold water. Stable under normal handling and storage conditions. No information available. No information available.

9.2 Other information	
Molecular weight	No information available.
Volatile organic compound	33.00 g/litre
Other information	Weight Solids 32.0 +/- 1.0% Volume Solids 30.5% +/- 1.0%

Section 10: Stability and reactivity		
10.1 Reactivity		
Reactivity	No specific reactivity hazards associated with this product.	
10.2 Chemical stability		
Stability	Stable under normal temperature conditions and recommended use.	
10.3 Possibility of hazardous reactions		
Hazardous reactions Hazardous polymerisation Polymerisation description	None under normal processing. No information available. No information available.	
10.4 Conditions to Avoid		
Conditions to avoid	None known.	
10.5 Incompatible materials		
Materials to avoid	Do not mix with other chemicals unless listed on directions.	
10.6 Hazardous decomposition products		
Hazardous decomposition products	None under normal conditions.	
Section 11: Toxicological information		

11.1 Information on toxicological effects

Toxicological information	No toxicological information for the overall finished product.		
Acute toxicity (Oral LD50) Acute toxicity (Dermal LD50) Acute toxicity (Inhalation LD50)	No information available. No information available. No information available.		
Serious eye damage/irritation	Product is not classified as an eye irritant.		
Skin corrosion/irritation	No information available.		
Respiratory sensitisation Skin sensitisation	No information available. No information available.		
Germ cell mutagenicity	No information available.		
Carcinogenicity	No information available.		
Specific target organ toxicity - Sing	Specific target organ toxicity - Single exposure:		
STOT - Single exposure	No information available.		
Specific target organ toxicity - Repe	eated exposure:		
STOT - Repeated exposure	No information available.		
Inhalation	No specific symptoms noted.		
Ingestion	No specific symptoms noted.		
Skin contact	No specific symptoms noted.		
Eye contact	No specific symptoms noted.		
Waste management	When handling waste, consideration should be made to the safety precautions applying to handling of the product.		

Routes of entry Target organs

Aspiration hazards: Reproductive toxicity: No information available. No target organs specified.

No information available. No information available.

Section 12: Ecological information

12.1 Toxicity

UN no. (ADR)

Acute toxicity - Fish Acute toxicity - Aquatic invertebrate Acute toxicity - Aquatic plants Acute toxicity - Microorganisms Chronic toxicity - Fish Chronic toxicity - Aquatic invertebrates Chronic toxicity - Aquatic plants Chronic toxicity - Microorganisms Ecotoxicity Eco toxilogical information	No information available. No Ecological information on the finished product. Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008.		
12.2 Persistence and degradability			
Degradability Biological oxygen demand Chemical oxygen demand	The degradability of the product has not been stated. No information available. No information available.		
12.3 Bioaccumulative potential			
Bioaccumulative potential Bioaccumulation factor Partition coefficient; n- Octanol/Water	No data available on bioaccumulation. No information available. No information available.		
12.4 Mobility in soil			
Mobility	No information available.		
12.5 Results of PBT and vPvB assessment			
Results of PBT and vPvB assessmen	t No information available.		
12.6 Other adverse effects			
Other adverse effects	No data available.		
Section 13: Disposal considerations			
Waste management	When handling waste, consideration should be made to the safety precautions applying to handling of the product.		
13.1 Waste treatment methods			
Disposal methods	Dispose of waste and residues in accordance with local authority requirements, and in accordance with all local, national and international regulations.		
Section 14: Transport information			
<u>14.1 UN number</u>			

Not applicable.

UN no. (IMDG)	Not applicable.			
UN no. (IATA)	Not applicable.			
14.2 UN proper shipping name				
ADR proper shipping name	Not applicable.			
IMDG proper shipping name	Not applicable.			
IATA proper shipping name	Not applicable.			
14.3 Transport hazard class(es)				
ADR class	Not applicable.			
IMDG class	Not applicable.			
IATA class	Not applicable.			
Transport labels	Not applicable			
14.4 Packing group				
ADR/RID/ADN packing group	Not applicable.			
IMDG packing group	Not applicable.			
IATA packing group	Not applicable.			
14.5 Environmental hazards				
ADR	No			
IMDG	No			
IATA	No			
14.6 Special precautions for user				
EMS	Not applicable.			
Emergency action code	Not applicable.			
Hazard no. (ADR)	Not applicable.			
Tunnel restriction code	Not applicable.			

14.7 Transport in bulk according to annex II of MARPOL73/78 and the IBC code

Section 15: Regulatory information			
15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture			
EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 453/2010 of 20th May 2010 amending regulation (EC) No 1907/2006.		
Approved code of practice	2018 Code of Practice for the Chemical Agents Regulations in accordance with section 60 of the Safety, Health and Welfare at Work Act 2005 (No. 10 of 2005).		
Chemical safety assessment	No chemical safety assessment has been carried out.		
Section 16: Other information General information Revision comments Revision date Revision Safety data sheet status	This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010. This is a first issue. 27 March 2019 1 Approved.		
Hazard statements in full			
H302 H312 H315 H319 H332 H318	Harmful if swallowed. Harmful in contact with skin. Causes skin irritation. Causes serious eye irritation. Harmful if inhaled. Causes serious eye damage.		

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.