ProductContract MattRevision date03 February 2020Revision1

- for COLOURFUL LIVES -

Safety Data Sheet (SDS)

according to Regulation (EC) No. 1907/2006

| Section 1: Identification of the substa | nce/preparation and of the company/undertaking |
|---|--|
| 1.1 Product identifier | |
| Product name | Contract Matt |
| Synonyms, Trade names | No information available. |
| 1.2 Relevant identified uses of the sub | stance or mixture and uses advised against |
| Identified uses | Paint or paint related material. |
| Uses advised against | No uses advised against are identified. |
| 1.3 Details of the supplier of the safet | <u>y data sheet</u> |
| Supplier | FSW Coatings Ltd |
| | Virginia |
| | Co Cavan |
| | Ireland |
| | Tel: 353 49854 7209 |
| Contact person | info@fsw.ie |
| 1.4 Emergency telephone number | |
| Emergency telephone | + 353 49854 7209 (Between 0900 and 1700 hrs Monday-Friday) |

Section 2: Hazards identification

2.1 Classification of the substance or mixture

| | Classification (EC 1272/2008) Physical and chemical hazards Human health Environment | Not classified Not classified Not classified |
|--------------|---|--|
| <u>2.2 I</u> | label elements | |
| | Contains | Not applicable |
| | Label in accordance with (EC) no. 1272/2008 | No pictogram required |
| | Signal word | No Signal Word |
| | Hazard statements | No hazard statements required |
| | Precautionary statements | No precautionary statements required |
| | EUH statements | EUH208 Contains tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidaz- le-2,5(1H,3H)-dione, 1,2-benzisothiazol-3(2H)-one 1,2-benzisothiazolin-3-one and reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one. May produce an allergic reaction. |

2.3 Other hazards

None known.

Section 3: Composition/identification of ingredients

3.1 Substance

Not applicable.

3.2 Mixtures

| Name | Product identifier | Reg. EU 1272/2008 | % |
|---|---|---|----------|
| titanium dioxide | CAS-No.: 13463-67-7 EC No.: 236-675-5 REACH Reg No.: 01-2119489379-17-XXXX | | 1-5% |
| tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione | CAS-No.: 5395-50-6 EC No.: 226-408-0 | Skin. Sens 1 - H317 | 0.1-0.9% |
| diiron trioxide | CAS-No.: 1309-37-1 EC No.: 215-168-2 | | <0.1% |
| 2-aminoethanol ethanolamine > 5% | CAS-No.: 141-43-5 EC No.: 205-483-3 | Acute Tox 4 - H302, Acute Tox 4 - H312, Acute Tox 4 - H332, Skin Corr. 1B - H314, STOT SE 3 - H335 | <0.1% |
| 2,2',2''-nitrilotriethanol | CAS-No.: 102-71-6 EC No.: 203-049-8 | | <0.1% |
| 1,2-benzisothiazol-3(2H)-one 1,2-benzisothiazolin-3-one | CAS-No.: 2634-33-5 EC No.: 220-120-9 | Acute Tox 4 - H302, Skin Irrit.2 - H315, Skin. Sens 1 - H317, Eye Dam. 1 - H318, Aquatic Acute 1 - H400 | <0.1% |
| ammonia, anhydrous | CAS-No.: 7664-41-7 EC No.: 231-635-3 | Flam. Gas 2- H221, Skin Corr. 1B - H314, Acute Tox 3 - H331, Aquatic Acute 1 - H400 | <0.1% |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2- methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) and 2-methyl-4-isothiazol- n-3-one [EC no. 220-239-6] (3:1) | CAS-No.: 55965-84-9 EC No.: | Acute Tox 3 - H301, Acute Tox 2 - H310, Skin Corr. 1B - H314, Skin. Sens 1 - H317, Acute Tox 3 - H331, Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410 | |

The full text for all hazard statements are displayed in section 16.

Composition comments

The data shown are in accordance with the latest EC Directives.

Section 4: First aid measures

4.1 Description of first aid measures

| General information | Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if symptoms persist, always call a doctor. |
|---------------------|---|
| Inhalation | Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort or breathing difficulties develop. |
| Ingestion | Rinse mouth out and then drink plenty of water. Seek medical attention. |
| Skin contact | Remove affected person from source of contamination. Wash exposed area with soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Remove contact lenses if present and easy to do so. Hold eye lids open. Rinse with a gentle stream water for at least 15 minutes. Seek medical attention. |

$\underline{\textbf{4.2 Most important symptoms and effects, both acute and delayed}$

| General information | The severity of the symptoms described will vary dependent on the concentration and the length of exposure. |
|---------------------|---|
| Inhalation | No specific symptoms noted. |
| Ingestion | No specific symptoms noted. |

| Skin contact Eye contact | May cause an allergic skin reaction. No specific symptoms noted. |
|---|--|
| 4.3 Indication of any immediate medica | l attention and special treatment needed |
| Notes to the physician | Treat symptomatically. |
| Section 5: Fire-fighting measures | |
| 5.1 Extinguishing media | |
| Extinguishing media | This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials. Water spray, foam, dry powder or carbon dioxide. |
| Unsuitable extinguishing media | High volume water jet. |
| 5.2 Special hazards arising from the su | bstance or mixture |
| Hazardous combustion products Unusual fire & explosion hazards Specific hazards | None Known. No unusual fire or explosion hazards noted. None noted. |
| 5.3 Advice for firefighters | |
| Special fire fighting procedures | Avoid breathing fire vapours. Keep up-wind to avoid fumes. Fight advanced or massive fires from safe distance or protected location. Ventilate closed spaces before entering them. Containers close to fire should be removed immediately or cooled with water if safe to do so. |
| Protective equipment for firefighter | rs Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |

Section 6: Accidental release measures

| 6.1 Personal precautions, protective equipment and emergency procedures | | |
|---|---|--|
| Personal precautions For emergency responders | Wear protective clothing as described in Section 8 of this safety data sheet. Follow safe handling advice and personal protective equipment recommendations for normal use of product. | |
| 6.2 Environmental precautions | | |
| Environmental precautions | Avoid discharge in to drains and water courses. | |
| 6.3 Methods and material for containm | ent and cleaning up | |
| Spill clean up methods | Stop leak if possible without risk. Wear necessary protective equipment. Absorb spillage with non-combustible, absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Wash thoroughly after dealing with a spillage. | |
| 6.4 Reference to other sections | | |
| Reference to other sections | See section 1 for emergency contact. For personal protection, see section 8. For waste disposal, see section 13. | |
| Section 7: Handling and storage | | |

7.1 Precautions for safe handling

Handling

Read and follow manufacturer's recommendations. Observe occupational exposure limits and minimise the risk of inhalation of vapours and mist. Do not eat, drink or smoke when using the product. Avoid spilling, skin and eye contact. Ensure adequate ventilation. Use proper personal protection when handling (refer to Section 8).

7.2 Conditions for safe storage, including any incompatibilities

| Storage precautions | Store in tightly closed original container in a cool, dry and well-ventilated place. Keep upright, locked up and out of reach of children. |
|--|--|
| Storage class | Unspecified storage. |
| 7.3 Specific end use(s) | |
| Specific end use(s) Usage description | The identified uses for this product are detailed in Section 1. Use only according to directions. Replace and tighten cap after use. |

Section 8: Exposure controls/Personal protection

8.1 Control parameters


| Component | STD | TWA (| 8 Hrs) | STEL (1 | l 5mins) | Notes |
|----------------------------------|-----|--------|-----------------------|---------|-----------------------|-----------|
| titanium dioxide | OEL | | 10 mg/m ³ | | | |
| titanium dioxide | OEL | | 4 mg/m^3 | | | |
| diiron trioxide | OEL | | 5 mg/m ³ | | 10 mg/m ³ | |
| diiron trioxide | OEL | | 10 mg/m ³ | | | |
| diiron trioxide | OEL | | 4 mg/m ³ | | | |
| 2-aminoethanol ethanolamine > 5% | OEL | 1 ppm | 2.5 mg/m ³ | 3 ppm | 7.6 mg/m ³ | Sk, IOELV |
| 2,2',2''-nitrilotriethanol | OEL | | 5 mg/m ³ | | | |
| ammonia, anhydrous | OEL | 20 ppm | 14 mg/m ³ | 50 ppm | 36 mg/m ³ | IOELV |

Ingredient comments

Ireland, Occupational Exposure Limits 2020.

8.2 Exposure Controls

Protective equipment



No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit. Use suitable protective gloves if there is a risk of skin contact. Consult manufacturer for specific advice. Suggested material: Nitrile rubber gloves. Layer thickness: 0.11mm. Breakthrough time: >480 min. Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU). Wear appropriate clothing to prevent any possibility of skin contact. Wash hands and / or face before breaks and at the end of the shift. Do not eat, drink, or **Hygiene measures** smoke while using this product. Avoid contact with skin, eyes and clothing. **Process conditions** Use only according to directions. Ensure that eye flushing systems and safety showers are located close by in the work place.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Appearance Colour Odour | Viscous liquid. White opaque. Faint odour. |
|-------------------------------|---|
| Odour threshold - lower | No information available as testing has not been completed. |
| Odour threshold - upper | No information available as testing has not been completed. |

| pH-Value, Conc. Solution 7.5 · 9 pH-Value, Diluted solution No information available as testing has not been completed. Melting point May start to solitlight at the temperatures below 2°C.This is based on data for the following ingredient: water Tatial boiling point and boiling indermation available. No information available. Fash point No information available. Fash point No information available. Fasmability state No information available as testing has not been completed. Fasmability limit - lower(%) No information available as testing has not been completed. Fasmability limit - lower(%) No information available as testing has not been completed. Fasmability limit - lower(%) No information available as testing has not been completed. Fasmability limit - lower(%) No information available as testing has not been completed. Fastist coefficients: No information available as testing has not been completed. Fastist coefficients: No information available as testing has not been completed. Solubility No information available as testing has not been completed. Solubility No information available as testing has not been completed. Solubility No information available as testing has not been completed. Solubility No information available as testing has not been completed. Auto ignition temperature (CO) No | | |
|---|--------------------------------------|---|
| Melting point May start to solidity at the temperatures below 2°C. This is based on data for the following ingredient: water Initial boiling point and boiling No information available. Flash point Not applicable. Flash point Not formation available as testing has not been completed. Flasmability limit - ower(%) No information available as testing has not been completed. Flasmability limit - upper(%) 0% Vapour pressure Highest known value: 3.2 kPa (2.3.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (2.3.8 mm Hg) (at 20°C) Vapour density (air=1) Highest known value: 7.5 (Air = 1) (isobutyric acid, monester with 2.2, 4-trimetrylpentan- -1.3-dio). Relative density 1.55 Bulk density No information available as testing has not been completed. Solubility Partially soluble in cold water. Decomposition temperature No information available as testing has not been completed. Auto ignition temperature (*C) Not applicable. Viscesity >0.21 cm ³ /s Explosive properties Not information available as testing has not been completed. Vidisting organic compound | pH-Value, Conc. Solution | 7.5 - 9 |
| ingredient: water ingredient: water ingredient: water No information available. Plash point No applicable. No applicable. No applicable. No applicable. No applicable. No information available as testing has not been completed. Planmability limit - upper(%) No information available as testing has not been completed. Planmability limit - upper(%) No information available as testing has not been completed. Planmability limit - upper(%) No information available as testing has not been completed. Planmability limit - upper(%) No information available as testing has not been completed. No information available as testing has not been completed. Plantition coefficienty n- Octanol/Water No information available as testing has not been completed. Solubility Partition coefficienty n- Octanol/Water No information available as testing has not been completed. Partition coefficienty n- Octanol/Water No information available as testing has not been completed. Partition coefficienty n- Octanol/Water No information available as testing has not been completed. Partition coefficienty n- Octanol/Water No information available as testing has not been completed. Partition coefficienty n- Octanol/Water No information available as testing has not been completed. Partition coefficienty n- Octanol/Water No information available as testing has not been completed. Partition coefficienty n- Octanol/Water No information available as testing has not been completed. Partition coefficienty n- Octanol/Water No information available as testing has not been completed. Partition coefficienty n- Octanol/Water No information available as testing has not been completed. Partition completer No information available as testing has not been completed. No information available as testing has not been completed. Partition Completer No information available as testing has not been completed. Partition Completer No information in the product. Partition Completer No information in the product. Part | pH-Value, Diluted solution | No information available as testing has not been completed. |
| range Not applicable. Flash point Not applicable. Evaporation rate Not applicable. Flammability state Non flammable Flammability limit - uoper(%) No information available as testing has not been completed. Flammability limit - uoper(%) No information available as testing has not been completed. Vapour density (air=1) Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C) Vapour density (air=1) Highest known value: 7.5 (Air = 1) (sobutyric acid, monoester with 2.2, 4-trimethylpentan- -1.3.4 dol. Relative density 1.55 Bulk density No information available as testing has not been completed. Solubility Pertially soluble in cold water. Decomposition temperature No information available as testing has not been completed. No information available as testing has not been completed. Not applicable. Viscosity >0.21 cm ³ /s Replosition temperature (*C) Not applicable. Viscosity >0.21 cm ³ /s Explosive properties Not information available as testing has not been completed. Videular weight No information available as testing has not been completed. Videular weight | Melting point | |
| Evaporation rate Not applicable. Planmability state Non flammable Planmability limit - lower(%) No information available as testing has not been completed. Planmability limit - upper(%) 0% Vapour pressure Highest known value: 3.2 kPa (23.8 mm Hg) (at 20*C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20*C) Vapour density (alr=1) Highest known value: 7.5 (Alr = 1) (isobutyric acid. monoester with 2.2.4 trimethylpentar- 1.3 cido). Relative density No information available as testing has not been completed. Sobbility Partially soluble in cold water. Buik density No information available as testing has not been completed. Sobbility Partially soluble in cold water. Percomposition temperature No information available as testing has not been completed. Auto ignition temperature (*O) Not applicable. Viscosity >0.21 cm?/s Explosive properties No information available as testing has not been completed. Viscosity >0.21 cm?/s Value organic compound 0.00 g/litre Other information Value solids: 41.0% +/- 1.0% Value solids: 61.0% +/- 1.0% Weight Solids: 61.0% +/- 1.0% Solution Value solids: 61.0% +/- 1.0% Solution No specific reactivity hazards associated with this product. | | No information available. |
| Fammability state Non fammable Fammability limit - lower(%) No information available as testing has not been completed. Fammability limit - upper(%) 0% Vapour pressure Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C) Vapour density (air=1) Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2.2, 4-trimethylpentan- -1.3-diol). Relative density 1.55 Bulk density No information available as testing has not been completed. Solubility Partially soluble in cold water. Decomposition temperature No information available as testing has not been completed. Auto ignition coefficient; n- Octanol/Water No information available as testing has not been completed. Viscosity sol.21 cm?/s Explosive properties Not assified as explosive. Oxidising properties The product does not meet the criteria to be classified as oxidising. 9.2 Other information 10.00 g/litre Other information Value solids: 41.0% +/- 1.0% Weight Solids: 61.0% +/- 1.0% Weight Solids: 61.0% +/- 1.0% Section 10: Stability and reactivity No specific reactivity hazards associated with this product. Lact baselity No specific rea | Flash point | Not applicable. |
| Flammability limit - lower(%) No information available as testing has not been completed. Flammability limit - upper(%) % Vapour pressure Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C) Vapour density (air=1) Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2.2, 4-trimethylpentan- -1.3-diol). Relative density 1.55 Buik density No information available as testing has not been completed. Solubility Partially soluble in cold water. Decomposition temperature No information available as testing has not been completed. Auto ignition temperature (°C) Not applicable. Viscosity >0.21 cm²/s Explositive properties Not information available as testing has not been completed. Oxidising properties Not classified as explosive. Oxidising properties Not classified as explosive. Oxidising properties No information available as testing has not been completed. Volatile organic compound 10.00 g/litre Volatile organic compound 10.00 g/litre Volatile organic compound 10.00 g/litre Volatile organic compound No information associated with this product. Execti | Evaporation rate | Not applicable. |
| Flammability limit - upper(%) 0% Vapour pressure Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C) Vapour density (air=1) Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2.2, 4-trimethylpentan-1.3 diol). Relative density 1.55 Bulk density No information available as testing has not been completed. Solubility Partially soluble in cold water. Decomposition temperature No information available as testing has not been completed. Partition coefficient; n- Octano/Water No information available as testing has not been completed. Viscosity >0.21 cm ² /s Explosive properties No information available as testing has not been completed. Oxidising properties No information available as testing has not been completed. Viscosity >0.21 cm ² /s Explosive properties No information available as testing has not been completed. Viscosity >0.21 cm ² /s Value solids: 41.0% +/· 1.0% Weight Solids: 61.0% +/· 1.0% Value solids: 41.0% +/· 1.0% Weight Solids: 61.0% +/· 1.0% Section 10: Stability and reactivity No specific reactivity hazards associated with this product. Ib.2 Chemical stability No | Flammability state | Non flammable |
| Vapour pressure Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm | Flammability limit - lower(%) | No information available as testing has not been completed. |
| (23.4 mm Hg) (at 20°C) Vapour density (air=1) Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2.2, 4-trimethylpentan- -1,3-dio). Relative density 1.55 Bulk density No information available as testing has not been completed. Solubility Partially soluble in cold water. Decomposition temperature No information available as testing has not been completed. Partition coefficient; n- Octanol/Water No information available as testing has not been completed. Auto ignition temperature (*C) Not applicable. Viscosity >0.21 cm ⁷ /s Explosive properties Not classified as explosive. Oxidising properties The product does not meet the criteria to be classified as oxidising. 9.2 Other information Yolume solids: 41.0% +/- 1.0% Weight Solids: 61.0% +/- 1.0% Weight Solids: 61.0% +/- 1.0% Section 10: Stability and reactivity No specific reactivity hazards associated with this product. 10.1 Reactivity No specific reactivity hazards associated with this product. | Flammability limit - upper(%) | 0% |
| -1,3-diol). Relative density 1.55 Bulk density No information available as testing has not been completed. Solubility Partially soluble in cold water. Decomposition temperature No information available as testing has not been completed. Partition coefficient; n- Octanol/Water No information available as testing has not been completed. Viscosity >0.21 cm²/s Explosive properties Not classified as explosive. Oxidising properties The product does not meet the criteria to be classified as oxidising. 9.2 Other information No information available as testing has not been completed. Volatile organic compound 10.00 g/litre Other information No information available as testing has not been completed. Volatile organic compound 10.00 g/litre Other information Volume solidis: 41.0% +/- 1.0% Weight Solidis: 61.0% +/- 1.0% Weight Solidis: 61.0% +/- 1.0% Exetion 10: Stability and reactivity No specific reactivity hazards associated with this product. Blot Letterical stability. No specific reactivity hazards associated with this product. | Vapour pressure | |
| Bulk density No information available as testing has not been completed. Solubility Partially soluble in cold water. Decomposition temperature No information available as testing has not been completed. Partition coefficient; n- Octanol/Water No information available as testing has not been completed. Auto ignition temperature (*C) No information available as testing has not been completed. Viscosity >0.21 cm ² /s Explosive properties Not classified as explosive. Oxidising properties No information available as testing has not been completed. Solubility No information available as testing has not been completed. Viscosity >0.21 cm ² /s Explosive properties Not classified as explosive. Noinformation available as testing has not been completed. No information available as testing has not been completed. Viscosity No information available as testing has not been completed. Volatile organic compound 10.00 g/litre Volaume solids: 41.0% +/- 1.0% Weight Solids: 61.0% +/- 1.0% Weight Solids: 61.0% +/- 1.0% No specific reactivity hazards associated with this product. Explosite Stability and reactivity | Vapour density (air=1) | |
| Solubility Partially soluble in cold water. Decomposition temperature No information available as testing has not been completed. Partition coefficient; n- Octanol/Water No information available as testing has not been completed. Auto ignition temperature (°C) Not applicable. Viscosity >0.21 cm²/s Explosive properties Not classified as explosive. Oxidising properties Not information available as testing has not been completed. 9.2 Uther information No information available as testing has not been completed. Volatile organic compound 10.00 g/litre Volatile organic compound 10.00 g/litre Section 10: Stability and reactivity No specific reactivity hazards associated with this product. ID.1 Reactivity No specific reactivity hazards associated with this product. | Relative density | 1.55 |
| Decomposition temperature No information available as testing has not been completed. Partition coefficient; n- Octanol/Water No information available as testing has not been completed. Auto ignition temperature (°C) Not applicable. Viscosity >0.21 cm²/s Explosive properties Not classified as explosive. Oxidising properties The product does not meet the criteria to be classified as oxidising. 9.2 Uher information No information available as testing has not been completed. Volatile organic compound 10.00 g/litre Other information Volume solids: 41.0% +/- 1.0% Section 10: Stability and reactivity Weight Solids: 61.0% +/- 1.0% Reactivity No specific reactivity hazards associated with this product. | Bulk density | No information available as testing has not been completed. |
| Partition coefficient; n- Octanol/Water No information available as testing has not been completed. Auto ignition temperature (°C) Not applicable. Viscosity >0.21 cm²/s Explosive properties Not classified as explosive. Oxidising properties The product does not meet the criteria to be classified as oxidising. 9.2 Other information No information available as testing has not been completed. Volatile organic compound 10.00 g/litre Other information Volume solids: 41.0% +/- 1.0% Section 10: Stability and reactivity Weight Solids: 61.0% +/- 1.0% Io1.1 Reactivity No specific reactivity hazards associated with this product. Io2.2 Chemical stability No specific reactivity hazards associated with this product. | Solubility | Partially soluble in cold water. |
| Octanol/Water Not applicable. Auto ignition temperature (°C) Not applicable. Viscosity >0.21 cm²/s Explosive properties Not classified as explosive. Oxidising properties The product does not meet the criteria to be classified as oxidising. 9.2 Utter information No information available as testing has not been completed. Molecular weight No information available as testing has not been completed. Volatile organic compound 10.00 g/litre Other information Volume solids: 41.0% +/- 1.0% Section 10: Stability and reactivity Weight Solids: 61.0% +/- 1.0% Reactivity No specific reactivity hazards associated with this product. flo2 Leurical stability. No specific reactivity hazards associated with this product. | Decomposition temperature | No information available as testing has not been completed. |
| Viscosity >0.21 cm ² /s Explosive properties Not classified as explosive. Oxidising properties The product does not meet the criteria to be classified as oxidising. 9.2 Other information No information available as testing has not been completed. Volatile organic compound 10.00 g/litre Other information Volume solids: 41.0% +/- 1.0% Weight Solids: 61.0% +/- 1.0% Weight Solids: 61.0% +/- 1.0% Section 10: Stability and reactivity Reactivity Reactivity No specific reactivity hazards associated with this product. | | No information available as testing has not been completed. |
| Explosive propertiesNot classified as explosive.Oxidising propertiesThe product does not meet the criteria to be classified as oxidising.9.2 Other informationNo information available as testing has not been completed.Molecular weightNo information available as testing has not been completed.Volatile organic compound10.00 g/litreOther informationVolume solids: 41.0% +/- 1.0%Section 10: Stability and reactivityKeight Solids: 61.0% +/- 1.0%Io1. ReactivityNo specific reactivity hazards associated with this product.Io2. Chemical stabilityVolume solidity in the product in the product. | Auto ignition temperature (°C) | Not applicable. |
| Oxidising propertiesThe product does not meet the criteria to be classified as oxidising.9.2 Other informationNo information available as testing has not been completed.Molecular weightNo information available as testing has not been completed.Volatile organic compound10.00 g/litreOther informationVolume solids: 41.0% +/- 1.0%Weight Solids: 61.0% +/- 1.0%Weight Solids: 61.0% +/- 1.0%Section 10: Stability and reactivity ReactivityReactivityNo specific reactivity hazards associated with this product.10.1 Chemical stability.Volume solids: 41.0% +/- 1.0% | Viscosity | >0.21 cm ² /s |
| 9.2 Other information No information available as testing has not been completed. Volatile organic compound 10.00 g/litre Other information Volume solids: 41.0% +/- 1.0% Weight Solids: 61.0% +/- 1.0% Section 10: Stability and reactivity I0.1 Reactivity Reactivity No specific reactivity hazards associated with this product. 10.2 Chemical stability | Explosive properties | Not classified as explosive. |
| Molecular weight No information available as testing has not been completed. Volatile organic compound 10.00 g/litre Other information Volume solids: 41.0% +/- 1.0% Weight Solids: 61.0% +/- 1.0% Weight Solids: 61.0% +/- 1.0% Section 10: Stability and reactivity No specific reactivity hazards associated with this product. Iol.1 Reactivity No specific reactivity hazards associated with this product. | Oxidising properties | The product does not meet the criteria to be classified as oxidising. |
| Volatile organic compound 10.00 g/litre Other information Volume solids: 41.0% +/- 1.0% Weight Solids: 61.0% +/- 1.0% Section 10: Stability and reactivity Io.1 Reactivity Reactivity No specific reactivity hazards associated with this product. 10.2 Chemical stability | 9.2 Other information | |
| Other information Volume solids: 41.0% +/- 1.0% Weight Solids: 61.0% +/- 1.0% Section 10: Stability and reactivity 10.1 Reactivity Reactivity No specific reactivity hazards associated with this product. 10.2 Chemical stability | Molecular weight | No information available as testing has not been completed. |
| Section 10: Stability and reactivity Section 10: Stability and reactivity 10.1 Reactivity Reactivity No specific reactivity hazards associated with this product. 10.2 Chemical stability | Volatile organic compound | 10.00 g/litre |
| Section 10: Stability and reactivity 10.1 Reactivity Reactivity No specific reactivity hazards associated with this product. 10.2 Chemical stability | Other information | Volume solids: 41.0% +/- 1.0% |
| 10.1 Reactivity Reactivity No specific reactivity hazards associated with this product. 10.2 Chemical stability | | Weight Solids: 61.0% +/- 1.0% |
| 10.1 Reactivity Reactivity No specific reactivity hazards associated with this product. 10.2 Chemical stability | | |
| Reactivity No specific reactivity hazards associated with this product. 10.2 Chemical stability Image: Chemical stability | Section 10: Stability and reactivity | |
| 10.2 Chemical stability | 10.1 Reactivity | |
| | Reactivity | No specific reactivity hazards associated with this product. |
| Stability Stable under normal temperature conditions and recommended use. | 10.2 Chemical stability | |
| | | Stable under normal temperature conditions and recommended use. |

10.3 Possibility of hazardous reactions

| Hazardous reactions | For information on hazardous reactions see section 10.1. |
|--------------------------|--|
| Hazardous polymerisation | Unknown. |

| Polymerisation description | Unknown. |
|------------------------------------|---|
| 10.4 Conditions to Avoid | |
| Conditions to avoid | No specific conditions to avoid are noted. |
| 10.5 Incompatible materials | |
| Materials to avoid | Do not mix with other chemicals unless listed on directions. Strong oxidising substances. |
| | |

10.6 Hazardous decomposition products

Hazardous decomposition products When heated, vapours/gases hazardous to health may be formed.

Section 11: Toxicological information

<u>11.1 Information on toxicological effects</u>

| Toxicological information | No toxicological information for the overall finished product. |
|---------------------------------------|---|
| Acute toxicity (Oral LD50) | No information available as testing has not been completed. |
| Acute toxicity (Dermal LD50) | No information available as testing has not been completed. |
| Acute toxicity (Inhalation LD50) | No information available as testing has not been completed. |
| | |
| Serious eye damage/irritation | Product is not classified as an eye irritant. |
| Skin corrosion/irritation | The product is not classified as a skin corrosion/irritation hazard. |
| Respiratory sensitisation | The product is not classified as a respiratory hazard. |
| Skin sensitisation | May cause an allergic skin reaction. |
| | |
| Germ cell mutagenicity | The product is not classified as a mutagen. |
| | |
| Carcinogenicity | The product is not classified as a carcinogen hazard. |
| | |
| Specific target organ toxicity - Sing | |
| STOT - Single exposure | The product is not classified as a single exposure specific target organ toxin. |
| Specific target organ toxicity - Repo | |
| STOT - Repeated exposure | The product is not classified as a repeat exposure specific target organ toxin. |
| Inhalation | No specific symptoms noted. |
| Ingestion | No specific symptoms noted. |
| Skin contact | May cause an allergic skin reaction. |
| Eve contact | No specific symptoms noted. |
| Waste management | When handling waste, consideration should be made to the safety precautions applying to |
| waste management | |
| | handling of the product. |
| Routes of entry | Eyes, skin, ingestion or inhalation. |
| Target organs | No target organs specified. |
| Turget Organs | tto target organs specifica. |
| Aspiration hazards: | The product is not classified as an aspiration hazard. |
| Reproductive toxicity: | The product is not classified as a reproductive hazard. |
| | The product is not classified up a reproductive natura. |

| Name | LD50 oral | II D50 dormal | LD50 inhalation |
|---|--------------|----------------------|--------------------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2- methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) and 2-methyl-4-isothiazol- n-3-one [EC no. 220-239-6] (3:1) | >5000.00 Rat | >5000.00mg/kg Rabbit | |

Section 12: Ecological information

12.1 Toxicity

Acute toxicity - FishNo information available as testing has not been completed.Acute toxicity - Aquatic invertebratesNo information available as testing has not been completed.Acute toxicity - Aquatic plantsNo information available as testing has not been completed.

| Acute toxicity - Microorganisms Chronic toxicity - Fish Chronic toxicity - Aquatic invertebrates Chronic toxicity - Aquatic plants Chronic toxicity - Microorganisms Ecotoxicity Eco toxilogical information | No information available as testing has not been completed. No information available as testing has not been completed. The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. The product is not classified as dangerous for the environment. |
|---|--|
| 12.2 Persistence and degradability | |
| Degradability Biological oxygen demand Chemical oxygen demand | The degradability of the product has not been stated. No information available as testing has not been completed. No information available as testing has not been completed. |
| 12.3 Bioaccumulative potential Bioaccumulative potential Bioaccumulation factor Partition coefficient; n- Octanol/Water | No data available on bioaccumulation. No information available as testing has not been completed. No information available as testing has not been completed. |
| <u>12.4 Mobility in soil</u> Mobility | Partially soluble in cold water. |

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment The product does not contain any PBT or vPvB Substances.

12.6 Other adverse effects

Other adverse effects

None known.

| Name | ACTIVE TOXICITY (FISD) | Acute toxicity (Aquatic invertebrates) | Acute toxicity (Aquatic plants) |
|---|------------------------|---|--|
| titanium dioxide | | EC50 48 Hours >1000.00mg/l Daphnia magna | |
| 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] | Unchornynchiis mykiss | EC50 48 Hours 0.10mg/l Daphnia magna | |

| Section 13: Disposal consideratio | ns |
|-----------------------------------|--|
| Waste management | When handling waste, consideration should be made to the safety precautions applying to handling of the product. |
| 13.1 Waste treatment methods | |
| Disposal methods | Dispose of waste and residues in accordance with local authority requirements, and in accordance with all local, national and international regulations. For waste disposal, use a licensed industrial waste disposal agent. |

Section 14: Transport information

14.1 UN number

| UN | no. | (ADR) |
|----|-----|--------|
| UN | no. | (IMDG) |
| UN | no. | (IATA) |

Not applicable. Not applicable. Not applicable.

14.2 UN proper shipping name

| ADR proper shipping name | Not applicable. |
|--|-----------------|
| IMDG proper shipping name | Not applicable. |
| IATA proper shipping name | Not applicable. |
| propor ompping mino | riot approabion |
| <u>14.3 Transport hazard class(es)</u> | |
| ADR class | Not applicable. |
| IMDG class | Not applicable. |
| IATA class | Not applicable. |
| | |
| Transport labels | Not applicable |
| | |
| <u>14.4 Packing group</u> | |
| ADR/RID/ADN packing group | Not applicable. |
| IMDG packing group | Not applicable. |
| IATA packing group | Not applicable. |
| | |
| 14.5 Environmental hazards | |
| ADR | No |
| IMDG | No |
| IATA | No |
| 14.6 Special precautions for user | |
| | |
| EMS | Not applicable. |
| Emergency action code | Not applicable. |
| Hazard no. (ADR) | Not applicable. |
| Tunnel restriction code | Not applicable. |

$\underline{14.7}$ Transport in bulk according to annex II of MARPOL73/78 and the IBC code

Not applicable.

| 5.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture | | |
|--|---|--|
| EU legislation | Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 453/2010 of 20 May 2010 amending regulation (EC) No 1907/2006. | |
| Approved code of practice | 2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001-2019) | |
| Chemical safety assessment | No chemical safety assessment has been carried out. | |

Section 16: Other information

| General information Revision comments Revision date Revision Safety data sheet status | This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010. This is a first issue. 03 February 2020 1 Approved. |
|---|---|
| Hazard statements in full | |
| H317 | May cause an allergic skin reaction. |
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H315 | Causes skin irritation. |

| H318 | Causes serious eye damage. |
|--------|---|
| H400 | Very toxic to aquatic life. |
| H221 | Flammable gas. |
| H331 | Toxic if inhaled. |
| H301 | Toxic if swallowed. |
| H310 | Fatal in contact with skin. |
| H330 | Fatal if inhaled. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| EUH208 | Contains tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H- |
| | 3H)-dione, 1,2-benzisothiazol-3(2H)-one 1,2-benzisothiazolin-3-one and reaction mass of: 5- |
| | chloro-2-methyl-4-isothiazolin-3-one. May produce an allergic reaction. |

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.