ProductVogue EggshellRevision date22 December 2021Revision1

- for COLOURFUL LIVES -

Safety Data Sheet (SDS)

according to Regulation (EC) No. 1907/2006

1.1 Product identifier	
Product name Other means of identification	Vogue Eggshell No information available.
1.2 Relevant identified uses of the su	bstance or mixture and uses advised against
Identified uses	Paint or paint related material.
Uses advised against	No uses advised against are identified.
1.3 Details of the supplier of the safe	ety data sheet
Supplier	FSW Coatings Ltd.
	Virginia
	Co Cavan
	Ireland
	Tel: 353 49854 7209
Contact person	info@fsw.ie
1.4 Emergency telephone number	

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (EC 1272/2008) Physical and chemical hazards Human health Environment	Not classified Not classified Not classified
2.2 Label elements	
Contains	Not applicable
Label in accordance with (EC) no. 1272/2008	No pictogram required
Signal word	No Signal Word
Hazard statements	No hazard statements required
Precautionary statements	No precautionary statements required
EUH statements	EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

None known.

Section 3: Composition/information on ingredients

Revision Date: 22 December 2021 - Revision: 1

3.1 Substance

Not applicable.

3.2 Mixtures

Name	Product identifier	Regulation (EC) No 1272/2008	%
titanium dioxide	CAS-No.: 13463-67-7 EC No.: 236-675-5 REACH Reg No.: 01-2119489379-17-XXXX		10-20%
Limestone	CAS-No.: 1317-65-3 EC No.: 215-279-6		5-10%
Talc (Mg3H2(SiO3)4)	CAS-No.: 14807-96-6 EC No.: 238-877-9		1-5%
propane-1,2-diol	CAS-No.: 57-55-6 EC No.: 200-338-0 REACH Reg No.: 01-2119456809-23-0000		1-5%
formaldehyde 100 %	CAS-No.: 50-00-0 EC No.: 200-001-8	Acute Tox 3 - H301, Acute Tox 2 - H310, Skin Corr. 1B - H314, Skin. Sens 1 - H317, Acute Tox 3 - H331, Muta. 2- H341, Carc. 1B - H350	<0.1%
glyoxal % ethandial %	CAS-No.: 107-22-2 EC No.: 203-474-9	Skin Irrit.2 - H315, Skin. Sens 1 - H317, Eye Irrit.2A - H319, Acute Tox 4 - H332, Muta. 2- H341	<0.1%

The full text for all hazard statements are displayed in section 16.

Composition comments

The data shown are in accordance with the latest EC Directives.

Formaldehyde: Specific Concentration Limits = Eye Irrit. 2; H319: 5 % <= C < 25 %, STOT SE 3; H335: C >= 5 %, Skin Corr. 1B; H314: C >= 25 %, Skin Irrit. 2; H315: 5 % <= C < 25 %, Skin Sens. 1; H317: C >= 0,2 %.

This mixture is not classified as a carcinogen due to the liquid state of the product. H351 as related to Titanium Dioxide is only applicable in powdered form.

Section 4: First aid measures

<u>4.1 Description of first aid measures</u>

General information	Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if symptoms persist, always call a doctor.
Inhalation	Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort or breathing difficulties develop.
Ingestion	Rinse mouth out and then drink plenty of water. Seek medical attention.
Skin contact	Remove affected person from source of contamination. Wash exposed area with soap and
	water. Get medical attention if irritation develops or persists.
Eye contact	Remove contact lenses if present and easy to do so. Hold eye lids open. Rinse with a gentle
	stream water for at least 15 minutes. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Inhalation of high concentrations of vapours may cause irritation of the respiratory tract or dizziness.
Ingestion	Prolonged exposure to liquid product may cause irritation to linings of mouth,
Skin contact	Prolonged contact may cause redness, irritation and dry skin.
Eye contact	May cause temporary eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to the physician	Treat symptomatically.
------------------------	------------------------

Section 5: Firefighting measures	

5.1 Extinguishing media

Extinguishing media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials. Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing media High volume water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products	During fire, gases hazardous to health may be formed.
Unusual fire & explosion hazards	No unusual fire or explosion hazards noted.
Specific hazards	Floors may become slippery, avoid falls.
5.3 Advice for firefighters	

Special fire fighting procedures	Avoid breathing fire vapours. Keep up-wind to avoid fumes. Fight advanced or massive fires from safe distance or protected location. Ventilate closed spaces before entering them.
Protective equipment for firefighter	Containers close to fire should be removed immediately or cooled with water if safe to do so. s Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire- fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

Section 6: Accidental release measures

6.1 Personal precautions, protective e	quipment and emergency procedures	
For non-emergency personnel For emergency responders	Wear protective clothing as described in Section 8 of this safety data sheet. Ensure adeq ventilation. Do not smoke, use open fire or other sources of ignition. Follow safe handling advice and personal protective equipment recommendations for no use of product.	
6.2 Environmental precautions		
Environmental precautions	Avoid discharge in to drains and water courses.	
6.3 Methods and material for contain	ment and cleaning up	
Spill clean up methods	Stop leak if possible without risk. Wear necessary protective equipment. Absorb spillage wit non-combustible, absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Wash thoroughly after dealing with a spillage.	
6.4 Reference to other sections		
Reference to other sections	See section 1 for emergency contact. For personal protection, see section 8. For waste disposal, see section 13.	
Section 7: Handling and storage		
7.1 Precautions for safe handling		
Handling	Read and follow manufacturer's recommendations. Observe occupational exposure limits and minimise the risk of inhalation of vapours and mist. Do not eat, drink or smoke when using the product. Avoid spilling, skin and eye contact. Ensure adequate ventilation. Use proper personal protection when handling (refer to Section 8).	
7.2 Conditions for safe storage, includ	ling any incompatibilities	
Storage precautions	Store in tightly closed original container in a cool, dry and well-ventilated place. Keep upright, locked up and out of reach of children.	
Storage class	Unspecified storage.	
7.3 Specific end use(s)		
Specific end use(s) Usage description	The identified uses for this product are detailed in Section 1. Use only according to directions. Replace and tighten cap after use.	

Section 8: Exposure controls/Personal protection


8.1 Control parameters

Component	STD	TWA (8 Hrs)	STEL (15mins)	Notes
titanium dioxide	OEL		10 mg/m ³			
titanium dioxide	OEL		4 mg/m^3			
Limestone	OEL					
Limestone	OEL		4 mg/m ³			
Talc (Mg3H2(SiO3)4)	OEL		10 mg/m ³			
Talc (Mg3H2(SiO3)4)	OEL		0.8 mg/m ³			
propane-1,2-diol	OEL	150 ppm	470 mg/m ³			
propane-1,2-diol	OEL		10 mg/m ³			
formaldehyde 100 %	OEL	0.3 ppm	0.37 mg/m ³	0.6 ppm	0.738 mg/m ³	BOELV, Carc 1B, Sens, Limit value 0.5ppm/0.62mg/m3 for the healthcare, funeral and embalming sectors until 11 July 202420.
glyoxal % ethandial %	OEL		0.1(IFV) mg/m ³			

Ingredient comments

Ireland, Occupational Exposure Limits 2020.

8.2 Exposure Controls





Engineering measures Respiratory equipment	Observe occupational exposure limits and minimize the risk of inhalation of dust. No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit. Use type ABEK (EN 14387)
Hand protection	respirator cartridges. Use suitable protective gloves if there is a risk of skin contact. Full contact: Material: Nitrile rubber; Minimum layer thickness: 0.11mm; Breakthrough time: 480 min. Consult manufacturer for specific advice.
Eye protection	Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).
Other protection	Wear appropriate clothing to prevent any possibility of skin contact. Protective clothing should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. The selected clothing must satisfy the European norm standard EN 943.
Hygiene measures	Wash hands and / or face before breaks and at the end of the shift. Do not eat, drink, or smoke while using this product. Avoid contact with skin, eyes and clothing.
Process conditions	Use only according to directions. Ensure that eye flushing systems and safety showers are located close by in the work place.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Colour Odour	Viscous liquid. White and various colours. Slight.
Odour threshold - lower	No information available as testing has not been completed.
Odour threshold - upper	No information available as testing has not been completed.
pH-Value, Conc. Solution	>8.1
pH-Value, Diluted solution	No information available as testing has not been completed.

М	lelting point	May start to solidify at the temperatures below 2°C.This is based on data for the following ingredient: water
	nitial boiling point and boiling ange	>42°C
Fl	lash point	Not applicable.
Ev	vaporation rate	Not applicable.
Fl	lammability state	Non flammable
Fl	lammability limit - lower(%)	No information available as testing has not been completed.
Fl	lammability limit - upper(%)	0%
Va	apour pressure	Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C)
Va	apour density (air=1)	Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2, 4-trimethylpentan1,3-diol).
Re	elative density	1.31
B	ulk density	No information available as testing has not been completed.
So	olubility	Partially soluble in cold water.
D	ecomposition temperature	Stable under normal handling and storage conditions
	artition coefficient; n- ctanol/Water	No information available as testing has not been completed.
Au	uto ignition temperature (°C)	Not applicable.
Vi	iscosity	Kinematic (40°C): >0.21 cm ² /s
Ex	xplosive properties	Not classified as explosive.
O	xidising properties	The product does not meet the criteria to be classified as oxidising.
<u>9.2 Oth</u>	<u>ner information</u>	
Μ	Iolecular weight	No information available as testing has not been completed.
Vo	olatile organic compound	39.00 g/litre
Ot	ther information	Volume solids: 43.0% +/- 1.0%
		Weight Solids: 56.0% +/- 1.0%
Section	n 10: Stability and reactivity	
<u>10.1 Re</u>	eactivity	
R	eactivity	No specific reactivity hazards associated with this product.
	<u>hemical stability</u>	
<u>10.2 Ch</u>	<u>itemiteur stusiitty</u>	

10.3 Possibility of hazardous reactions

Hazardous reactions	For information on hazardous reactions see section 10.1.
Hazardous polymerisation	Unknown.
Polymerisation description	Unknown.

10.4 Conditions to Avoid Conditions to avoid Avoid heat, flames and other sources of ignition. Extremes of temperature and direct sunlight. **10.5 Incompatible materials** Materials to avoid Do not mix with other chemicals unless listed on directions. Strong oxidising substances.

10.6 Hazardous decomposition products

Hazardous decomposition products When heated, vapours/gases hazardous to health may be formed.

Section 11: Toxicological information

11.1 Information on hazard classses as defined in Regulation (EC) No. 1272/2008

Toxicological information	No toxicological information for the overall finished product.	
Acute toxicity (Oral LD50) Acute toxicity (Dermal LD50) Acute toxicity (Inhalation LD50)	No information available as testing has not been completed. No information available as testing has not been completed. No information available as testing has not been completed.	
Serious eye damage/irritation	May cause temporary eye irritation.	
Skin corrosion/irritation	The product is not classified as a skin corrosion/irritation hazard.	
Respiratory sensitisation Skin sensitisation	The product is not classified as a respiratory hazard. The product is not classified as a skin sensitisation hazard.	
Germ cell mutagenicity	The product is not classified as a mutagen.	
Carcinogenicity	The product is not classified as a carcinogen hazard.	
Specific target organ toxicity - Single exposure:STOT - Single exposureThe product is not classified as a single exposure specific target organ toxin.Specific target organ toxicity - Repeated exposure:		
STOT - Repeated exposure	The product is not classified as a repeat exposure specific target organ toxin.	
Inhalation	Inhalation of high concentrations of vapours may cause irritation of the respiratory tract or dizziness.	
Ingestion Skin contact Eye contact Waste management	Prolonged exposure to liquid product may cause irritation to linings of mouth, Prolonged contact may cause redness, irritation and dry skin. May cause temporary eye irritation. When handling waste, consideration should be made to the safety precautions applying to handling of the product.	
Routes of entry Target organs	Eyes, skin, ingestion or inhalation. Eyes, skin, digestive system, respiratory system.	
Aspiration hazards: Reproductive toxicity:	The product is not classified as an aspiration hazard. The product is not classified as a reproductive hazard.	

Name	LD50 oral	LD50 dermal	LD50 inhalation
formaldehyde 100 %	>200.00mg/kg Rat		
glyoxal % ethandial %	7070.00mg/kg Rat	10000.00mg/kg Rabbit	
propane-1,2-diol	22000.00mg/kg Rat	>2000.00mg/kg Rabbit	

11.2 Information on other hazards

Information on other hazards None known.

Section 12: Ecological information

12.1 Toxicity

Acute toxicity - Fish Acute toxicity - Aquatic invertebrate Acute toxicity - Aquatic plants Acute toxicity - Microorganisms Chronic toxicity - Fish Chronic toxicity - Aquatic invertebrates Chronic toxicity - Aquatic plants Chronic toxicity - Microorganisms Ecotoxicity Eco toxilogical information	No information available as testing has not been completed. s No information available as testing has not been completed. No information available as testing has not been completed. The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Not classified as dangerous for the environment according to the criteria of Regulation (EC)	
Leo toxilogical information	No 1272/2008.	
12.2 Persistence and degradability Degradability Biological oxygen demand Chemical oxygen demand	The degradability of the product has not been stated. No information available as testing has not been completed. No information available as testing has not been completed.	
12.3 Bioaccumulative potential		
Bioaccumulative potential Bioaccumulation factor Partition coefficient; n- Octanol/Water	No data available on bioaccumulation. No information available as testing has not been completed. No information available as testing has not been completed.	
<u>12.4 Mobility in soil</u>		
Mobility	Partially soluble in cold water.	
12.5 Results of PBT and vPvB assessment Results of PBT and vPvB assessment The product does not contain any PBT or vPvB Substances.		
12.6 Endocrine disrupting properties		
Endocrine disrupting properties	The product does not contain any substances with endocrine disrupting properties at a concentration above or equal to 0.1%.	
12.7 Other adverse effects		

Other adverse effects

None known.

	Acute toxicity (FISD)	to a state based a state of the	Acute toxicity (Aquatic plants)
propane-1,2-diol	LC50 96 Hours 40613.00mg/l Onchorhynchus mykiss (Rainbow Trout)		

Section 13: Disposal considerations	
Waste management	When handling waste, consideration should be made to the safety precautions applying to handling of the product.

13.1 Waste treatment methods

Disposal methods

Dispose of waste and residues in accordance with local authority requirements, and in accordance with all local, national and international regulations. For waste disposal, use a licensed industrial waste disposal agent.

Section 14: Transport information

14.1 UN number or ID number	
UN no. (ADR) UN no. (IMDG) UN no. (IATA)	Not applicable. Not applicable. Not applicable.
14.2 UN proper shipping name	
ADR proper shipping name IMDG proper shipping name IATA proper shipping name	Not applicable. Not applicable. Not applicable.
14.3 Transport hazard class(es)	
ADR class IMDG class IATA class	Not applicable. Not applicable. Not applicable.
Transport labels	Not applicable
14.4 Packing group	
ADR/RID/ADN packing group IMDG packing group IATA packing group	Not applicable. Not applicable. Not applicable.
14.5 Environmental hazards	
ADR IMDG IATA	No No No
14.6 Special precautions for user	
EMS Emergency action code Hazard no. (ADR) Tunnel restriction code	Not applicable. Not applicable. Not applicable. Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

Revision

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture

1

EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
Approved code of practice	2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001-2019)
<u>15.2 Chemical safety assessment</u> Chemical safety assessment	No chemical safety assessment has been carried out.
Section 16: Other information	
General information Revision comments Revision date	This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010. This is a first issue. 22 December 2021

Safety data sheet status

Hazard statements in full

H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H301	Toxic if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure .
H412	Harmful to aquatic life with long lasting effects.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
EUH071	Corrosive to the respiratory tract.
H311	Toxic in contact with skin.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H410	Very toxic to aquatic life with long lasting effects.
H310	Fatal in contact with skin.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects .
H350	May cause cancer .
H315	Causes skin irritation.
H332	Harmful if inhaled.
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Approved.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.